

热卖推荐圆柱型锂电池型号表!!!

序号	物料编号	型号	标称容量 (mAh)	标称电压 (V)	内阻 (mΩ)	最大重量 (g)	尺寸		充电电压 (V)	最大充电电流 (C)	最大持续放电电流 (C)	最大放电电流 (A)	放电截止电压 (V)
							直径 (mm, ±0.2)	高度 (mm, ±0.3)					
1	ICR18650HP-1100	18650HP	1100	3.2	≤15mΩ	40±1	≤18.2	≤65.3	4.2	3	55	60.5	2.00
2	ICR18650PC-1300	18650PC	1300	3.7	≤12	43.5±1	≤18.1	≤65.3	4.2	1	20	26	2.75
3	ICR18650HP-1500	18650HP	1500	3.7	≤20mΩ	42±1	≤18.2	≤65.3	4.2	3	20	30	2.75
4	ICR18650HP-2000	18650HP	2000	3.7	≤18mΩ	43±1	≤18.2	≤65.3	4.2	1.0	15	30	2.75
5	ICR18650MP-2000	18650MP	2000	3.7	≤30mΩ	42±1	≤18.2	≤65.3	4.2	1	5	10	2.75
6	ICR18650MP-2200	18650MP	2200	3.7	≤30mΩ	43±1	≤18.2	≤65.3	4.2	1	5	11	2.75
7	ICR18650EC-2200	18650EC	2200	3.7	≤40mΩ	44±1	≤18.1	≤65.3	4.2	0.5	1	2.2	2.75
8	INR18650EC-2600	18650EC	2600	3.7	≤45mΩ	46±1	≤18.1	≤65.3	4.2	0.5	1	2.6	2.75
9	INR18650EC-2600	18650EC	3000	3.7	≤60mΩ	49±1	≤18.1	≤65.3	4.2	0.5	0.5	1.5	2.75

东莞市锂辉电池科技有限公司

标准型号圆柱型锂电池型号表

序号	物料编号	型号	标称容量 (mAh)	标称电压 (V)	内阻 (mΩ)	最大重量 (g)	尺寸		充电电压 (V)	最大充电电流 (C)	最大持续放电电流 (C)	最大放电电流 (A)	放电截止电压 (V)
							直径 (mm, ±0.2)	高度 (mm, ±0.3)					
1	ICR18500EC-850	18500EC	850	3.7	<80	36±1	≤18.3	≤49.9	4.2	1	2	1.7	2.75
2	ICR18500EC-1000	18500EC	1000	3.7	<80	38±1	≤18.3	≤49.9	4.2	1	2	2.0	2.75
3	ICR18500EC-1100	18500EC	1100	3.7	<80	38±1	≤18.3	≤49.9	4.2	1	2	2.2	2.75
4	ICR18500EC-1200	18500EC	1200	3.7	<80	38±1	≤18.3	≤49.9	4.2	1	2	2.4	2.75
5	ICR18500EC-1300	18500EC	1300	3.7	<80	38±1	≤18.3	≤49.9	4.2	1	2	2.6	2.75
6	ICR18500EC-1400	18500EC	1400	3.7	<60	32.5±1	≤18.3	≤49.9	4.2	1	2	2.8	2.75
7	ICR18500EC-1500	18500EC	1500	3.7	<80	33±1	≤18.3	≤49.9	4.2	1	2	3.0	2.75
8	ICR18500EC-1600	18500EC	1600	3.7	<80	39±1	≤18.3	≤49.9	4.2	1	2	3.2	2.75
9	ICR18650EC-700	18650EC	700	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	1.4	2.75
10	ICR18650EC-800	18650EC	800	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	1.6	2.75
11	ICR18650EC-1000	18650EC	1000	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	2.0	2.75
12	ICR18650EC-1200	18650EC	1200	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	2.4	2.75
13	ICR18650EC-1300	18650EC	1300	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	2.6	2.75
14	ICR18650EC-1400	18650EC	1400	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	2.8	2.75
15	ICR18650EC-1500	18650EC	1500	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	3.0	2.75
16	ICR18650EC-1800	18650EC	1800	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	3.6	2.75
17	ICR18650EC-2000A	18650EC	2000	3.6	<60	45±1	≤18.3	≤65.0	4.2	1	2	4.0	2.50
18	ICR18650EC-2000	18650EC	2000	3.7	<60	42.5±1	≤18.4	≤65.0	4.2	1	2	4.0	2.75
19	ICR18650EC-2200	18650EC	2200	3.7	<60	43.5±1	≤18.4	≤65.0	4.2	1	2	4.4	2.75
20	ICR18650EC-2250	18650EC	2250	3.6	<60	45±1	≤18.4	≤65.0	4.2	1	2	4.5	2.50
21	ICR18650EC-2400	18650EC	2400	3.7	<60	45±1	≤18.4	≤65.0	4.2	1	2	4.8	2.75
22	ICR18650EC-2500	18650EC	2500	3.6	<55	44.5±1	≤18.4	≤65.0	4.2	2	2	5.0	2.50
23	ICR18650EC-2600	18650EC	2600	3.7	<60	46.5±1	≤18.4	≤65.0	4.2	1	2	5.2	2.75
24	ICR18650EC-2800B	18650EC	2800	3.75	<60	46±1	≤18.4	≤65.0	4.2	1	2	5.6	3.00
25	ICR18650EC-2800	18650EC	2800	3.7	<60	45.5±1	≤18.4	≤65.0	4.2	1	2	5.6	2.75
26	ICR18650EC-3000	18650EC	3000	3.7	<60	46.5±1	≤18.4	≤65.0	4.2	1	2	6.0	2.75
27	IMR18650NC-1200	18650NC	1200	3.7	≤60	38±1	≤18.3	≤65.5	4.2	1	2	2.4	3.00
28	IMR18650NC-1500	18650NC	1500	3.7	≤60	39±1	≤18.3	≤65.5	4.2	1	2	3.0	3.00
29	IMR18650NC-1800	18650NC	1800	3.7	≤60	40±1	≤18.3	≤65.5	4.2	1	2	3.6	3.00
30	INR18650EC-2000	18650EC	2000	3.6	≤60	42±1	≤18.3	≤65.5	4.2	1	2	4.0	2.75
31	ICR18650EC-2200	18650EC	2200	3.7	≤50	43.5±1	≤18.1	≤65.3	4.2	0.5	2	4.4	2.75
32	INR18650EC-2600	18650EC	2600	3.7	≤60	44±1	≤18.1	≤65.3	4.2	0.5	2	5.2	2.75
33	ICR18650PC-1300A	18650PC	1300	3.6	<13	42±1	≤18.4	≤65.0	4.2	2	12	15.6	2.50
34	ICR18650PC-1300	18650PC	1300	3.7	≤12	43.5±1	≤18.1	≤65.3	4.2	1	20	26.0	2.75
35	ICR18650PC-1500	18650PC	1500	3.7	≤12	43.5±1	≤18.1	≤65.3	4.2	1	20	30.0	2.75
36	ICR18650PC-1600	18650PC	1600	3.6	<30	44±1	≤18.4	≤65.0	4.2	2	8	12.8	2.50
37	ICR18650PC-2000	18650PC	2000	3.7	≤30	41.5±1	≤18.1	≤65.3	4.2	1	5	10.0	2.75
38	ICR18650PC-2000B	18650PC	2000	3.7	≤18	42.5±1	≤18.1	≤65.3	4.2	1	15	30	2.75
39	ICR18650PC-2200	18650PC	2200	3.7	≤30	43.5±1	≤18.1	≤65.3	4.2	1	5	11.0	2.75
40	ICR18650FE-1100	18650FE	1100	3.2	≤13	41.5±1	≤18.1	≤65.3	3.6	1	45	49.5	2.00
41	IFR18650FE-1500	18650FE	1500	3.2	<60	39±1	≤18.4	≤65.0	4.2	1	2	3.0	2.00
42	ICR26650EC-2600	26650EC	2600	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	2.6	2.75
43	ICR26650EC-3000	26650EC	3000	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	3.0	2.75
44	ICR26650EC-3500	26650EC	3500	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	3.5	2.75
45	ICR26650EC-4200	26650EC	4200	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	4.2	2.75
46	ICR26650EC-5000	26650EC	5000	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	5.0	2.75
47	IFR26650FE-2200	26650FE	2200	3.2	<40	81±2	≤26.3	≤66.4	3.6	5	10	22.0	2.00
48	IFR26650FE-2700	26650FE	2700	3.2	<40	81±2	≤26.3	≤66.4	3.6	2	3	8.1	2.00
49	IFR26650FE-3000	26650FE	3000	3.2	<40	81±2	≤26.3	≤66.4	3.6	2	3	9.0	2.00

非标准型号圆柱型锂电池型号表

序号	物料编号	型号	标称容量 (mAh)	标称电压 (V)	内阻 (mΩ)	最大重量 (g)	尺寸		充电电压 (V)	最大充电电流 (C)	最大持续放电电流 (C)	最大脉冲放电电流 (C)	放电截止电压 (V)
							直径 (mm, ±0.2)	高度 (mm, ±0.3)					
1	IFR14430FE-400	14430FE	400	3.2	<100	16±1	≤13.9	≤43	3.6	2	3	3	3.00
2	ICR14430HP-550	14430HP	550	3.7	<100	18±1	≤13.9	≤43	4.2	1	2	3	3.00
3	ICR14430EC-650	14430EC	650	3.7	<100	20±1	≤13.9	≤43	4.2	1	2	3	3.00
4	ICR14430EC-700	14430EC	700	3.7	<100	16±1	≤18.4	≤65	4.2	1	2	3	3.00
5	IFR14500FE-500	14500FE	500	3.2	<80	18±1	≤13.9	≤51	3.6	2	3	3	3.00
6	ICR14500EC-800	14500EC	800	3.7	<80	19±1	≤13.9	≤51	4.2	1	2	3	3.00
7	ICR14500HP-700	14500HP	700	3.7	<80	21±1	≤13.9	≤51	4.2	1	2	3	3.00
8	ICR14650HP-1000	14650HP	1000	3.7	<70	25±2	≤14	≤65	4.2	1	2	3	3.00
9	ICR16340PC-650	16340PC	650	3.7	<40	16.5±2	≤16.1	≤34	4.2	1	10	10	3.00
10	ICR16500PC-1200	16500PC	1200	3.7	<65	28±2	≤16.1	≤50	4.2	1	2	3	3.00
11	ICR16650PC-1600	16650PC	1600	3.7	<65	38±2	≤16.1	≤65	4.2	1	2	3	3.00
12	ICR17670EC-1550	17670EC	1550	3.7	<50	39.5±1	≤17.1	≤67	4.2	1	2	3	3.00
13	ICR18350EC-900	18350EC	900	3.7	<60	22±2	≤18.1	≤35	4.2	1	2	3	3.00
14	ICR25500EC-3000	25500EC	3000	3.7	<50	83±3	≤25.1	≤49.9	4.2	1	2	3	3.00
15	ICR25500EC-3500	25500EC	3500	3.7	<50	83±3	≤25.1	≤49.9	4.2	1	2	3	3.00
16	ICR26700BD-3400	26700BD	3400	3.8	<40	100±3	≤26.3	≤70.5	4.2	1	3	3	3.00
17	ICR26700HE-5000	26700HE	5000	3.6	<40	101±3	≤26.3	≤70.5	4.2	0.5	1.5	1.5	3.00
18	IFR26700FE-3300	26700FE	3300	3.2	<40	95±3	≤26.3	≤70.5	3.6	2	3	3	3.00
19	IFR36800FE-6500	36800FE	6500	3.2	<30	183±4	≤36.65	≤81	3.6	2	3	3	3.00

磷酸铁锂圆柱型锂电池型号表

序号	物料编号	型号	标称容量 (mAh)	标称电压 (V)	内阻 (mΩ)	最大重量 (g)	尺寸		充电电压 (V)	最大充电电流 (C)	最大持续放电电流 (C)	最大脉冲放电电流 (C)	放电截止电压 (V)
							直径 (mm, ±0.2)	高度 (mm, ±0.3)					
1	IFR14430FE-400	14430FE	400	3.2	<100	16±1	≤13.9	≤43	3.6	2	3	3	3.00
2	IFR14500FE-500	14500FE	500	3.2	<80	18±1	≤13.9	≤51	3.6	2	3	3	3.00
3	IFR26700FE-3300	26700FE	3300	3.2	<40	95±3	≤26.3	≤70.5	3.6	2	3	3	3.00
4	IFR36800FE-6500	36800FE	6500	3.2	<30	183±4	≤36.65	≤81	3.6	2	3	3	3.00
5	IFR18650FE-1500	18650FE	1500	3.2	<60	39±1	≤18.4	≤65.0	4.2	1	2	2	2.00
6	IFR26650FE-2200	26650FE	2200	3.2	<40	81±2	≤26.3	≤66.4	3.6	5	10	10	2.00
7	IFR26650FE-2700	26650FE	2700	3.2	<40	81±2	≤26.3	≤66.4	3.6	2	3	3	2.00
8	IFR26650FE-3000	26650FE	3000	3.2	<40	81±2	≤26.3	≤66.4	3.6	2	3	3	2.00

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
1	ICP1045B7N-7163	1045B7	10.00	45.00	117.00	7163	6822	60	3.7	1364	5.5	3411	2.5
2	ICP104772N-4160	104772	10.20	47.00	72.00	4160	4000	60	3.7	800	5.5	2080	2.5
3	ICP105781N-6240	105781	10.00	57.00	81.00	6240	6000	60	3.7	1200	5.5	3000	2.5
4	ICP1060B0N-8400	1060B0	9.80	60.50	112.50	8400	8000	50	3.7	1600	5.5	4000	2.5
5	ICP115060N-4150	115060	10.50	50.00	60.00	4150	4000	60	3.7	800	5.5	2000	2.5
6	ICP115573N-5250	115573	10.50	55.00	72.50	5250	5000	60	3.7	1000	5.5	2500	2.5
7	ICP115899N-8300	115899	10.50	58.50	99.00	8300	8000	60	3.7	1600	5.5	4000	2.5
8	ICP116368N-5800	116368	11.00	63.00	68.00	5800	5500	60	3.7	1100	5.5	2750	2.5
9	ICP126096H-10100	126096	11.50	60.00	96.00	10100	9700	60	3.8	1940	5.5	4850	2.5
10	ICP203073N-365	203073	2.00	30.00	73.00	365	350	120	3.7	70	5.5	175	2.5
11	ICP205080N-885	205080	2.00	50.00	80.00	885	850	100	3.7	170	5.5	425	2.5
12	ICP2398E6N-4150	2398E6	2.30	98.00	146.00	4150	4000	60	3.7	800	5.5	2000	2.5
13	ICP2495E0N-3990	2495E0	2.40	94.00	140.00	3990	3800	60	3.7	798	5.5	1995	2.5
14	ICP253074N-470	253074	2.50	30.00	74.00	470	450	100	3.7	90	5.5	235	2.5
15	ICP254085N-860	254085	2.50	40.00	85.00	860	820	80	3.7	164	5.5	410	2.5
16	ICP266873N-1770	266873	2.80	68.00	73.00	1770	1700	60	3.7	354	5.5	885	2.5
17	ICP282273NL-255	282273	2.90	22.50	73.00	255	240	400	3.7	120	2.5	120	2.5
18	ICP2858C0N-2625	2858C0	2.80	58.00	120.00	2625	2500	60	3.7	500	5.5	1250	2.5
19	ICP287379N-1760	287379	2.80	72.75	79.25	1760	1700	60	3.7	340	5.5	880	2.5
20	ICP287379N-2080	287379	2.80	72.75	79.25	2080	2000	60	3.7	400	5.5	1040	2.5
21	ICP2873A0N-2520	2873A0	2.80	72.50	100.00	2520	2400	60	3.7	480	5.5	1200	2.5
22	ICP287696N-2400	287696	2.80	76.00	96.00	2400	2300	70	3.7	460	5.5	1150	2.5
23	ICP2950E0N-2626	2950E0	2.90	50.00	140.00	2626	2500	60	3.7	500	5.5	1250	2.5
24	ICP295284N-1250	295284	2.90	52.00	84.00	1250	1200	70	3.7	240	5.5	625	2.5
25	ICP2952B0N-2180	2952B0	2.90	52.00	110.00	2180	2100	60	3.7	420	5.5	1050	2.5
26	ICP295386NL-1400	295386	2.90	53.00	86.00	1400	1310	100	3.7	262	5.5	655	2.5
27	ICP295788NL-1540	295788	2.90	57.00	88.00	1540	1480	100	3.7	296	5.5	740	2.5
28	ICP296056NL-1050	296056	2.90	60.00	57.00	1050	1000	120	3.7	200	5.5	500	2.5
29	ICP2964B3NL-2350	2964B3	2.90	64.00	123.00	2350	2270	80	3.7	454	5.5	1135	2.5
30	ICP297273H-1995	297273	2.93	71.90	72.90	1995	1900	60	3.8	376	5.5	940	2.5
31	ICP2972C8N-3535	2972C8	2.90	72.00	128.00	3535	3400	60	3.7	380	5.5	1700	2.5
32	ICP2984D6N-4700	2984D6	2.90	84.00	136.50	4700	4500	60	3.7	940	5.5	2350	2.5
33	ICP2984E4N-4515	2984E4	2.90	84.00	144.00	4515	4300	60	3.7	860	5.5	2150	2.5
34	ICP298989N-3000	298989	2.90	89.00	89.00	3000	2900	60	3.7	580	5.5	1450	2.5
35	ICP2990F0N-5615	2990F0	2.90	90.00	150.00	5615	5400	40	3.7	1080	5.5	2807.5	2.5
36	ICP301027NL-65	301027	3.20	11.00	27.50	65	62	300	3.7	31	2.5	31	2.5
37	ICP302226NL-145	302226	3.10	22.50	26.50	145	140	400	3.7	70	2.5	70	2.5
38	ICP303842N-550	303842	3.00	38.00	42.00	550	530	100	3.7	106	5.5	265	2.5
39	ICP303970N-1025	303970	3.00	39.20	70.40	1025	1000	60	3.7	200	5.5	500	2.5
40	ICP305348N-934	305348	3.00	53.80	46.00	934	900	80	3.7	180	5.5	450	2.5
41	ICP3053A8N-2390	3053A8	3.00	53.40	108.00	2390	2300	60	3.7	460	5.5	1195	2.5
42	ICP305490H-2080	305490	3.00	54.00	90.00	2080	2000	60	3.8	416	5.5	1040	2.5
43	ICP3054G7N-3120	3054G7	3.00	54.00	167.00	3120	3000	60	3.7	600	2.5	1500	2.5
44	ICP3056D0H-3120	3056D0	3.00	56.00	130.00	3120	3000	40	3.8	600	5.5	1560	2.5
45	ICP306370H-1830	306370	3.00	63.00	70.00	1830	1760	60	3.8	366	5.5	915	2.5
46	ICP3063A8H-3045	3063A8	3.00	63.00	108.00	3045	2900	60	3.8	580	5.5	1450	2.5
47	ICP306480N-1770	306480	3.00	64.00	80.00	1770	1700	60	3.7	354	5.5	885	2.5
48	ICP3064C0H-2755	3064C0	2.95	63.80	115.00	2755	2650	45	3.8	530	5.5	1377.5	2.5
49	ICP3064D7N-3830	3064D7	3.00	64.00	137.00	3830	3650	50	3.7	730	5.5	1825	2.5
50	ICP3067C1N-3120	3067C1	3.00	67.00	121.00	3120	3000	60	3.7	600	5.5	1500	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
51	ICP3074B8N-3330	3074B8	3.00	74.50	118.00	3330	3200	60	3.7	666	5.5	1665	2.5
52	ICP3075A5N-3150	3075A5	3.00	75.00	105.00	3150	3000	60	3.7	600	5.5	1500	2.5
53	ICP3075E9N-4680	3075E9	3.00	75.00	149.00	4680	4500	45	3.7	900	5.5	2340	2.5
54	ICP308287H-3120	308287	3.00	82.00	87.00	3120	3000	60	3.8	624	5.5	1560	2.5
55	ICP308289H-3225	308289	3.00	82.00	89.00	3225	3100	60	3.8	620	5.5	1612.5	2.5
56	ICP3083A3N-3400	3083A3	3.10	83.00	103.00	3400	3280	60	3.7	656	5.5	1640	2.5
57	ICP3089B8N-4260	3089B8	3.00	89.00	118.00	4260	4100	50	3.7	820	5.5	2130	2.5
58	ICP309597N-3950	309597	3.00	95.00	97.00	3950	3800	60	3.7	760	5.5	1975	2.5
59	ICP309877H-3120	309877	3.00	98.20	77.00	3120	3000	60	3.8	600	5.5	1500	2.5
60	ICP30A7A8N-4785	30A7A8	3.10	106.80	108.00	4785	4600	60	3.7	920	5.5	2392.5	2.5
61	ICP314363N-930	314363	2.80	43.00	63.00	930	900	80	3.7	180	5.5	450	2.5
62	ICP3149B5N-2390	3149B5	3.10	49.00	115.00	2390	2300	60	3.7	460	5.5	1150	2.5
63	ICP3158G4N-3650	3158G4	3.10	58.00	164.00	3650	3500	60	3.7	700	5.5	1750	2.5
64	ICP3160E0N-3120	3160E0	3.10	60.20	140.00	3120	3000	60	3.7	600	5.5	1500	2.5
65	ICP3170E3H-4710	3170E3	3.10	70.00	143.00	4710	4530	60	3.8	906	5.5	2355	2.5
66	ICP319597N-3380	319597	3.10	95.00	97.00	3380	3280	47	3.7	656	5.5	1640	2.5
67	ICP323077N-915	323077	3.20	30.00	77.00	915	880	80	3.7	176	5.5	440	2.5
68	ICP3232H5N-2240	3232H5	3.20	32.00	175.00	2240	2150	60	3.7	448	5.5	1120	2.5
69	ICP323450N-540	323450	3.20	33.50	50.00	540	520	100	3.7	104	5.5	260	2.5
70	ICP324078N-1350	324078	3.20	40.00	78.00	1350	1300	60	3.7	260	5.5	650	2.5
71	ICP326073H-2000	326073	3.20	60.00	73.00	2000	1920	60	3.8	400	5.5	1000	2.5
72	ICP3260A7H-3120	3260A7	3.20	60.00	107.00	3120	3000	40	3.8	600	5.5	1560	2.5
73	ICP326169H-1890	326169	3.20	60.50	69.00	1890	1800	60	3.8	360	5.5	900	2.5
74	ICP326173H-2080	326173	3.20	61.00	73.00	2080	2000	62	3.8	400	5.5	1040	2.5
75	ICP326282H-2570	326282	3.20	61.90	82.00	2570	2500	60	3.8	500	5.5	1250	2.5
76	ICP326469H-2080	326469	3.20	63.60	69.00	2080	2000	60	3.8	400	6.5	1000	2.5
77	ICP326593NL-2040	326593	3.20	65.00	93.00	2040	1970	100	3.7	394	5.5	985	2.5
78	ICP3268C0N-3500	3268C0	3.20	68.00	120.00	3500	3400	50	3.7	700	5.5	1750	2.5
79	ICP326981NL-1860	326981	3.20	69.00	81.00	1860	1800	100	3.7	360	5.5	900	2.5
80	ICP326982N-2260	326982	3.20	69.00	82.00	2260	2200	60	3.7	440	5.5	1100	2.5
81	ICP3282D5N-4680	3282D5	3.25	81.80	135.50	4680	4500	60	3.7	900	5.5	2250	2.5
82	ICP3283B8N-3990	3283B8	3.20	83.00	118.00	3990	3800	60	3.7	760	5.5	1900	2.5
83	ICP328490H-3640	328490	3.20	84.00	90.00	3640	3500	50	3.8	700	5.5	1820	2.5
84	ICP3295C5N-4720	3295C5	3.20	95.00	125.00	4720	4500	60	3.7	900	5.5	2250	2.5
85	ICP331122NL-42	331122	3.35	11.50	22.50	42	40	500	3.7	20	2.5	20	2.5
86	ICP333333N-380	333333	3.30	33.00	33.00	380	360	150	3.7	72	5.5	180	2.5
87	ICP334195H-1820	334195	3.30	41.40	94.50	1820	1750	60	3.8	350	5.5	875	2.5
88	ICP334397H-2060	334397	3.30	43.00	97.00	2060	2000	50	3.8	400	5.5	1000	2.5
89	ICP3345A7N-1950	3345A7	3.30	45.00	107.00	1950	1900	60	3.7	360	5.5	900	2.5
90	ICP335465H-1760	335465	3.30	54.00	65.00	1760	1700	60	3.8	340	5.5	880	2.5
91	ICP335465N-1640	335465	3.30	54.00	65.00	1640	1580	50	3.7	328	5.5	820	2.5
92	ICP335773H-1955	335773	3.30	57.00	73.00	1955	1900	60	3.8	360	5.5	900	2.5
93	ICP336273H-2185	336273	3.30	62.00	73.00	2185	2100	60	3.8	420	5.5	1050	2.5
94	ICP336283H-2570	336283	3.30	62.00	83.00	2570	2520	60	3.8	504	5.5	1260	2.5
95	ICP336369H-1870	336369	3.30	62.50	69.00	1870	1800	60	3.8	374	5.5	935	2.5
96	ICP336679H-2600	336679	3.32	65.50	78.50	2600	2500	60	3.8	520	5.5	1300	2.5
97	ICP336687NL-2040	336687	3.30	66.00	87.00	2040	1970	100	3.7	394	5.5	985	2.5
98	ICP337098N-2940	337098	3.30	70.00	98.00	2940	2800	60	3.7	560	5.5	1400	2.5
99	ICP3370B4N-3380	3370B4	3.30	70.00	114.00	3380	3250	40	3.7	650	5.5	1625	2.5
100	ICP338492N-3150	338492	3.30	84.00	92.00	3150	3000	60	3.7	600	5.5	1500	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
101	ICP338595NL-2900	338595	3.35	85.00	95.00	2900	2800	80	3.7	560	5.5	1400	2.5
102	ICP3389A2H-4500	3389A2	3.80	89.00	102.00	4500	4400	60	3.8	880	5.5	2250	2.5
103	ICP3389A2N-3900	3389A2	3.30	89.00	102.00	3900	3850	60	3.7	770	5.5	1950	2.5
104	ICP3389A2N-4000	3389A2	3.30	89.00	102.00	4000	3850	60	3.7	770	5.5	2000	2.5
105	ICP342748N-520	342748	3.40	237.00	48.00	520	500	120	3.7	104	5.5	260	2.5
106	ICP344657NL-980	344657	3.45	46.00	57.50	980	920	120	3.7	184	5.5	460	2.5
107	ICP345248N-1090	345248	3.40	52.00	48.00	1090	1050	70	3.7	210	5.5	525	2.5
108	ICP345596N-1825	345596	3.40	55.00	96.00	1825	1765	60	3.7	353	5.5	883	2.5
109	ICP345596N-2460	345596	3.40	55.00	96.00	2460	2350	60	3.7	470	5.5	1175	2.5
110	ICP345873H-2080	345873	3.40	58.00	73.00	2080	2000	60	3.8	400	5.5	1000	2.5
111	ICP345990N-2550	345990	3.40	59.00	90.00	2550	2450	60	3.7	490	5.5	1225	2.5
112	ICP346075N-2130	346075	3.40	60.00	73.50	2130	2050	60	3.7	410	5.5	1065	2.5
113	ICP3460E0N-3430	3460E0	3.40	60.00	140.00	3430	3300	60	3.7	660	5.5	1650	2.5
114	ICP3461C7N-3430	3461C7	3.30	61.00	127.00	3430	3300	40	3.7	660	5.5	1715	2.5
115	ICP346488N-2650	346488	3.40	64.00	88.00	2650	2550	60	3.7	510	5.5	1275	2.5
116	ICP3479B2N-3330	3479B2	3.40	79.00	112.00	3330	3200	45	3.7	640	5.5	1600	2.5
117	ICP349486NL-2960	349486	3.40	94.00	86.00	2960	2850	80	3.7	570	5.5	1425	2.5
118	ICP349578N-3230	349578	3.40	95.00	78.00	3230	3100	45	3.7	620	5.5	1550	2.5
119	ICP3550F4H-3950	3550F4	3.50	50.00	154.00	3950	3800	40	3.8	760	5.5	1975	2.5
120	ICP355570H-2170	355570	3.50	55.00	70.50	2170	2100	60	3.8	420	5.5	1085	2.5
121	ICP355672N-1870	355672	3.50	56.00	72.00	1870	1800	60	3.7	360	5.5	900	2.5
122	ICP3558C0N-2820	3558C0	3.50	58.00	120.00	2820	2700	60	3.7	540	5.5	1350	2.5
123	ICP3558C0N-3330	3558C0	3.50	58.00	120.00	3330	3200	60	3.7	640	5.5	1665	2.5
124	ICP3558E5AH-4370	3558E5A	3.50	58.00	145.00	4370	4200	60	3.8	840	5.5	2100	2.5
125	ICP3558E5N-3950	3558E5	3.50	58.00	145.00	3950	3800	60	3.7	760	5.5	1900	2.5
126	ICP355965H-2130	355965	3.50	59.00	65.00	2130	2050	60	3.8	410	5.5	1065	2.5
127	ICP3559F0N-4005	3559F0	3.50	59.00	149.50	4005	3850	60	3.7	770	5.5	2002.5	2.5
128	ICP356070H-2350	356070	3.50	60.00	70.00	2350	2315	50	3.8	463	5.5	1175	2.5
129	ICP356072H-2185	356072	3.50	60.00	71.50	2185	2100	60	3.8	420	5.5	1092.5	2.5
130	ICP356270H-2200	356270	3.50	61.50	70.00	2200	2170	40	3.8	434	5.5	1100	2.5
131	ICP356271N-2200	356271	3.50	62.00	71.00	2200	2100	60	3.7	420	5.5	1050	2.5
132	ICP3562E2N-3675	3562E2	3.50	62.00	142.00	3675	3500	60	3.7	700	5.5	1750	2.5
133	ICP356579N-2600	356579	35.00	64.75	78.75	2600	2500	60	3.7	500	5.5	1300	2.5
134	ICP356581H-3030	356581	3.44	64.60	81.00	3030	2945	40	3.8	589	5.5	1515	2.5
135	ICP356681H-2760	356681	3.50	66.00	81.00	2760	2650	60	3.8	530	5.5	1325	2.5
136	ICP3569A7N-3100	3569A7	3.50	69.00	107.00	3100	3000	60	3.7	620	5.5	1550	2.5
137	ICP357092N-3150	357092	3.50	70.00	92.00	3150	3000	60	3.7	600	5.5	1575	2.5
138	ICP3571A7N-3320	3571A7	3.40	71.00	107.00	3320	3200	50	3.7	640	5.5	1600	2.5
139	ICP3572A0N-3150	3572A0	3.50	72.00	100.00	3150	3000	60	3.7	600	5.5	1500	2.5
140	ICP3572C8N-3650	3572C8	3.50	72.00	128.00	3650	3500	60	3.7	700	5.5	1750	2.5
141	ICP3574A8H-4000	3574A8	3.50	74.00	108.00	4000	3900	60	3.8	780	5.5	1950	2.5
142	ICP3574A8N-3340	3574A8	3.50	74.00	106.00	3340	3200	60	3.7	640	5.5	1600	2.5
143	ICP3574A8N-3500	3574A8	3.50	74.00	106.00	3500	3400	60	3.7	680	5.5	1700	2.5
144	ICP3579B7N-4650	3579B7	3.50	79.00	117.00	4650	4500	50	3.7	900	5.5	2250	2.5
145	ICP3585A5N-4357	3585A5	3.50	85.00	105.00	4357	4150	60	3.7	830	5.5	2075	2.5
146	ICP362735NL-330	362735	3.65	27.00	35.50	330	320	400	3.7	160	2.5	160	2.5
147	ICP363061N-525	363061	3.60	30.00	61.00	525	500	80	3.7	100	5.5	250	2.5
148	ICP3652B0N-2800	3652B0	3.60	52.00	110.00	2800	2700	60	3.7	540	5.5	1350	2.5
149	ICP365670N-1870	365670	3.60	55.90	70.00	1870	1800	60	3.7	360	5.5	900	2.5
150	ICP365798H-2950	365798	3.60	57.00	98.00	2950	2850	60	3.8	570	5.5	1425	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
151	ICP366071N-2205	366071	3.60	60.00	71.00	2205	2100	60	3.7	420	5.5	1050	2.5
152	ICP366078H-2500	366078	3.60	60.00	78.00	2500	2400	60	3.8	480	5.5	1200	2.5
153	ICP3667B2N-3150	3667B2	3.60	67.00	112.00	3150	3020	60	3.7	604	5.5	1510	2.5
154	ICP3670B4N-3930	3670B4	3.60	70.00	114.00	3930	3750	60	3.7	750	5.5	1875	2.5
155	ICP3672C8N-4300	3672C8	3.55	72.00	128.00	4300	4100	60	3.7	820	5.5	2050	2.5
156	ICP367382H-3120	367382	3.60	73.70	82.00	3120	3000	60	3.8	600	5.5	1500	2.5
157	ICP3674B8N-4250	3674B8	3.60	74.50	118.00	4250	4100	50	3.7	820	5.5	2050	2.5
158	ICP3677B0H-4530	3677B0	3.60	77.00	110.00	4530	4350	60	3.8	870	5.5	2175	2.5
159	ICP367882N-2490	367882	3.60	78.00	82.00	2490	2400	80	3.7	480	5.5	1200	2.5
160	ICP375162H-1660	375162	3.70	51.00	62.00	1660	1600	60	3.8	320	5.5	830	2.5
161	ICP375370N-1850	375370	3.70	53.00	70.00	1850	1800	60	3.7	360	5.5	900	2.5
162	ICP375459H-1660	375459	3.70	53.50	59.00	1660	1600	60	3.8	332	5.5	830	2.5
163	ICP375698HL-3150	375698	3.80	56.50	98.50	3150	3000	60	3.8	600	5.5	1500	2.5
164	ICP375772H-2390	375772	3.70	57.00	72.00	2390	2300	60	3.8	460	5.5	1195	2.5
165	ICP3759D8H-4150	3759D8	3.70	59.00	137.50	4150	4000	60	3.8	800	5.5	2075	2.5
166	ICP376488N-2080	376488	3.70	64.00	88.00	2080	2000	60	3.7	410	5.5	1000	2.5
167	ICP376592N-2480	376592	3.80	65.50	92.00	2480	2400	60	3.7	480	5.5	1200	2.5
168	ICP376883H-2810	376883	3.70	68.00	83.00	2810	2700	60	3.8	540	5.5	1350	2.5
169	ICP3770C6NL-3950	3770C6	3.70	70.00	126.00	3950	3800	60	3.7	760	5.5	1900	2.5
170	ICP3780C5N-4700	3780C5	3.70	80.00	125.00	4700	4500	50	3.7	900	5.5	2250	2.5
171	ICP378186NL-2770	378186	3.70	81.00	86.00	2770	2670	80	3.7	534	5.5	1335	2.5
172	ICP3784E4N-5010	3784E4	3.70	84.00	144.00	5010	4800	50	3.7	960	5.5	2400	2.5
173	ICP383191N-1450	383191	3.80	31.00	91.00	1450	1400	60	3.7	280	5.5	700	2.5
174	ICP384262N-1070	384262	3.80	42.00	62.00	1070	1020	60	3.7	204	5.5	510	2.5
175	ICP384471N-1750	384471	3.90	43.50	71.50	1750	1700	60	3.7	340	5.5	850	2.5
176	ICP3845A5N-2470	3845A5	3.80	45.00	105.00	2470	2400	40	3.7	480	5.5	1235	2.5
177	ICP384859H-1560	384859	3.80	48.00	59.00	1560	1500	50	3.8	300	5.5	780	2.5
178	ICP384986N-2150	384986	3.80	49.00	86.00	2150	2100	60	3.7	420	5.5	1050	2.5
179	ICP385077H-2280	385077	3.80	50.00	77.00	2280	2200	60	3.8	440	5.5	1140	2.5
180	ICP385366H-2080	385366	3.90	52.90	66.00	2080	2020	60	3.8	404	5.5	1040	2.5
181	ICP385569H-2185	385569	3.80	55.00	69.00	2185	2100	60	3.8	420	5.5	1092.5	2.5
182	ICP385596N-2540	385596	3.80	55.00	96.00	2540	2450	60	3.7	490	5.5	1225	2.5
183	ICP3855A3NL-2570	3855A3	3.80	55.00	103.00	2570	2480	80	3.7	496	5.5	1240	2.5
184	ICP385769H-2180	385769	3.80	57.00	68.60	2180	2100	60	3.8	420	5.5	1050	2.5
185	ICP385879H-2720	385879	3.80	58.00	79.00	2720	2620	60	3.8	544	5.5	1360	2.5
186	ICP385971N-2100	385971	3.70	59.00	71.00	2100	2000	60	3.7	400	5.5	1000	2.5
187	ICP385979H-2810	385979	3.80	59.00	79.00	2810	2700	60	3.8	540	5.5	1405	2.5
188	ICP386488N-2300	386488	3.85	64.00	88.00	2300	2200	60	3.7	440	5.5	1100	2.5
189	ICP386592N-2100	386592	4.00	65.50	92.00	2100	2000	60	3.7	400	5.5	1000	2.5
190	ICP386676H-2950	386676	3.80	65.80	76.00	2950	2850	60	3.8	570	5.5	1425	2.5
191	ICP386789N-2700	386789	3.80	67.00	89.00	2700	2600	60	3.7	520	5.5	1300	2.5
192	ICP3872C8H-5200	3872C8	3.80	72.00	128.00	5200	5000	50	3.8	1000	5.5	2600	2.5
193	ICP3873A0N-3150	3873A0	3.80	72.50	100.50	3150	3000	50	3.7	600	5.5	1500	2.5
194	ICP387489N-3530	387489	3.80	74.00	89.00	3530	3400	60	3.7	680	5.5	1700	2.5
195	ICP387593N-3650	387593	3.80	75.00	93.00	3650	3500	60	3.7	700	5.5	1750	2.5
196	ICP389483N-3885	389483	3.80	94.00	83.00	3885	3700	60	3.7	740	5.5	1850	2.5
197	ICP394679N-1870	394679	3.90	46.00	79.00	1870	1800	60	3.7	370	5.5	925	2.5
198	ICP394764N-1560	394764	3.90	47.00	62.00	1560	1500	60	3.7	300	5.5	780	2.5
199	ICP395268H-2030	395268	3.90	52.00	67.50	2030	1950	60	3.8	390	5.5	1015	2.5
200	ICP395475H-2290	395475	3.90	54.00	75.00	2290	2200	60	3.8	440	5.5	1100	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
201	ICP395670N-2090	395670	3.90	56.00	70.00	2090	2000	60	3.7	400	5.5	1000	2.5
202	ICP395773H-2390	395773	3.90	57.00	73.00	2390	2300	60	3.8	478	5.5	1195	2.5
203	ICP3959C2NL-3450	3959C2	3.90	59.00	122.00	3450	3330	60	3.7	666	5.5	1665	2.5
204	ICP396370N-2350	396370	3.90	63.30	70.30	2350	2270	60	3.7	454	5.5	1135	2.5
205	ICP396686H-3330	396686	3.90	66.00	86.00	3330	3200	60	3.8	640	5.5	1600	2.5
206	ICP3967C1N-4250	3967C1	3.90	67.00	121.00	4250	4100	50	3.7	820	5.5	2050	2.5
207	ICP3970C5N-4200	3970C5	3.80	70.00	125.00	4200	4000	60	3.7	800	5.5	2000	2.5
208	ICP3971A7N-3420	3971A7	4.00	71.00	107.00	3420	3300		3.7	660	5.5	1650	2.5
209	ICP3972C8N-4850	3972C8	3.90	72.00	128.00	4850	4700	60	3.7	940	5.5	2350	2.5
210	ICP3972C8NL-5050	3972C8	3.90	72.80	128.80	5050	4850	60	3.7	970	5.5	2425	2.5
211	ICP401923NL-145	401923	4.10	19.50	23.50	145	140	400	3.7	70	2.5	70	2.5
212	ICP402026NL-170	402026	4.20	20.50	26.00	170	160	400	3.7	80	2.5	80	2.5
213	ICP402028NL-190	402028	4.20	20.50	28.50	190	180	400	3.7	90	2.5	90	2.5
214	ICP402035NL-220	402035	4.00	21.00	35.00	220	210	400	3.7	105	2.5	105	2.5
215	ICP402529H-290	402529	4.00	2.50	2.90	290	280	120	3.8	56	5.5	145	2.5
216	ICP402529N-280	402529	4.10	2.50	2.90	280	270	120	3.7	54	5.5	140	2.5
217	ICP402533N-330	402533	4.00	25.00	32.80	330	320	120	3.7	64	5.5	165	2.5
218	ICP402537N-440	402537	4.00	25.00	37.00	440	425	120	3.7	85	5.5	220	2.5
219	ICP402634N-420	402634	4.00	26.00	34.00	420	400	120	3.7	80	5.5	200	2.5
220	ICP402890N-1345	402890	4.00	28.50	90.00	1345	1300	60	3.7	260	5.5	650	2.5
221	ICP404078N-1660	404078	4.00	40.00	78.00	1660	1600	60	3.7	320	5.5	800	2.5
222	ICP4043A6N-1680	4043A6	4.00	43.00	106.00	1680	1600	60	3.7	320	5.5	800	2.5
223	ICP404860N-1620	404860	4.00	48.00	60.00	1620	1560	60	3.7	312	5.5	810	2.5
224	ICP404900N-3420	404900	3.80	49.00	142.00	3420	3300	50	3.7	660	5.5	1650	2.5
225	ICP404953N-1450	404953	4.00	49.00	53.00	1450	1400	60	3.7	280	5.5	700	2.5
226	ICP4050E5N-3420	4050E5	4.00	50.00	145.00	3420	3300	50	3.7	660	5.5	1650	2.5
227	ICP405195H-2860	405195	4.00	51.00	95.00	2860	2750	50	3.8	550	5.5	1430	2.5
228	ICP405285N-2180	405285	4.00	52.00	85.00	2180	2100	60	3.7	420	5.5	1050	2.5
229	ICP405459N-1730	405459	4.00	53.50	59.00	1730	1680	60	3.7	336	5.5	840	2.5
230	ICP405460NL-1450	405460	4.00	54.00	60.00	1450	1400	100	3.7	280	5.5	700	2.5
231	ICP4058C0N-3150	4058C0	4.00	58.00	120.00	3150	3000	50	3.7	600	5.5	1500	2.5
232	ICP4058E5N-4580	4058E5	4.00	58.00	145.00	4580	4400	60	3.7	880	5.5	2200	2.5
233	ICP406477N-2720	406477	4.00	64.30	77.50	2720	2620	60	3.7	524	5.5	1310	2.5
234	ICP406571H-2910	406571	4.00	64.50	71.00	2910	2800	60	3.8	560	5.5	1455	2.5
235	ICP4067B2N-3780	4067B2	4.00	67.00	112.00	3780	3600	60	3.7	720	5.5	1800	2.5
236	ICP4069C4H-4700	4069C4	4.06	68.60	124.00	4700	4550	15~36	3.8	910	5.5	2350	2.5
237	ICP4070A8NL-3650	4070A8	4.00	70.00	108.00	3650	3500	60	3.7	700	5.5	1750	2.5
238	ICP407964N-2600	407964	4.00	79.00	64.00	2600	2500	50	3.7	500	5.5	1250	2.5
239	ICP408673N-3570	408673	4.00	86.00	73.00	3570	3400	60	3.7	680	5.5	1700	2.5
240	ICP408777N-3150	408777	4.00	87.00	77.00	3150	3020	60	3.7	604	5.5	1510	2.5
241	ICP414289H-2130	414289	4.10	42.50	88.60	2130	2030	50	3.8	406	5.5	1015	2.5
242	ICP415457NL-1450	415457	4.10	54.50	57.50	1450	1400	100	3.7	280	5.5	700	2.5
243	ICP415656N-1790	415656	4.20	56.00	56.50	1790	1720	60	3.7	344	5.5	860	2.5
244	ICP416070H-2570	416070	4.10	60.00	69.90	2570	2520	40	3.8	504	5.5	1285	2.5
245	ICP4160D9NL-2800	4160D9	4.10	60.00	139.50	2800	2700	80	3.7	540	5.5	1350	2.5
246	ICP4169A7N-4000	4169A7	4.10	69.00	107.00	4000	3800	50	3.7	760	5.5	1900	2.5
247	ICP422539NL-495	422539	4.20	25.50	39.50	495	465	200	3.7	93	5.5	232.5	2.5
248	ICP4243C1N-2560	4243C1	4.25	43.00	121.00	2560	2450	60	3.7	490	5.5	1225	2.5
249	ICP424468N-1710	424468	4.20	44.00	68.00	1710	1650	60	3.7	330	5.5	825	2.5
250	ICP425460N-1660	425460	4.20	53.50	59.00	1660	1600	60	3.7	320	5.5	800	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
251	ICP425560N-1600	425560	4.20	54.00	59.00	1600	1550	60	3.7	310	5.5	775	2.5
252	ICP425569NL-1870	425569	4.20	55.00	69.00	1870	1800	100	3.7	360	5.5	900	2.5
253	ICP425785H-3120	425785	4.16	57.30	85.00	3120	3020	120	3.8	604	5.5	1560	2.5
254	ICP425885N-2810	425885	4.20	58.00	85.00	2810	2700	40	3.7	540	5.5	1405	2.5
255	ICP4258C0N-4000	4258C0	4.20	58.00	120.00	4000	3850	60	3.7	770	5.5	1925	2.5
256	ICP426080N-2808	426080	4.20	60.00	80.00	2808	2700	60	3.7	540	5.5	1350	2.5
257	ICP4260C3N-4370	4260C3	4.20	60.00	123.00	4370	4200	60	3.7	840	5.5	2185	2.5
258	ICP428853N-2700	428853	4.20	88.00	53.00	2700	2600	50	3.7	520	5.5	1300	2.5
259	ICP435467N-2100	435467	4.20	54.50	68.00	2100	2020	60	3.7	404	5.5	1010	2.5
260	ICP435573H-2600	435573	4.30	54.60	73.00	2600	2500	60	3.8	520	5.5	1300	2.5
261	ICP435668H-2390	435668	4.30	56.00	68.00	2390	2300	60	3.8	478	5.5	1195	2.5
262	ICP4366B0N-3450	4366B0	4.30	66.00	110.00	3450	3300	50	3.7	690	5.5	1725	2.5
263	ICP4390B3N-5250	4390B3	4.30	90.00	113.00	5250	5000	60	3.7	1000	5.5	2500	2.5
264	ICP4427D8N-2235	4427D8	4.40	27.00	138.00	2235	2150	40	3.7	430	5.5	1117.5	2.5
265	ICP443441N-425	443441	4.20	34.00	41.50	425	410	120	3.7	82	5.5	205	2.5
266	ICP4434D2N-2415	4434D2	4.38	33.80	132.40	2415	2300	60	3.7	460	5.5	1150	2.5
267	ICP444271N-1350	444271	4.40	42.50	71.50	1350	1300	60	3.7	260	5.5	650	2.5
268	ICP444365N-950	444365	4.40	43.00	65.00	950	910	60	3.7	182	5.5	455	2.5
269	ICP444454H-1510	444454	4.40	44.00	54.00	1510	1450	60	3.8	290	5.5	725	2.5
270	ICP444454N-1350	444454	4.40	44.00	54.00	1350	1300	60	3.7	270	5.5	675	2.5
271	ICP444562H-1770	444562	4.40	45.00	62.00	1770	1700	60	3.8	340	5.5	850	2.5
272	ICP4445C0N-3120	4445C0	4.40	45.00	120.00	3120	3000	60	3.7	600	5.5	1500	2.5
273	ICP444853H-1575	444853	4.50	48.00	52.30	1575	1500	60	3.8	300	5.5	750	2.5
274	ICP444860N-1664	444860	4.40	48.00	60.00	1664	1600	60	3.7	320	5.5	800	2.5
275	ICP444860N-1860	444860	4.50	48.00	60.00	1860	1800	60	3.7	360	5.5	900	2.5
276	ICP445066N-2030	445066	4.40	50.00	66.00	2030	1950	60	3.7	390	5.5	975	2.5
277	ICP4458C0N-3990	4458C0	4.40	58.00	120.00	3990	3800	60	3.7	760	5.5	1900	2.5
278	ICP4478C9N-5250	4478C9	4.40	78.00	129.00	5250	5000	60	3.7	1000	5.5	2500	2.5
279	ICP452248N-440	452248	4.50	22.50	48.00	440	420	100	3.7	84	5.5	210	2.5
280	ICP454261N-1510	454261	4.50	41.80	61.50	1510	1450	60	3.7	290	5.5	725	2.5
281	ICP454261N-1590	454261	4.60	41.80	61.50	1590	1530	60	3.7	306	5.5	765	2.5
282	ICP454262NL-1360	454262	4.55	42.00	62.00	1360	1300	100	3.7	260	5.5	650	2.5
283	ICP454469H-2080	454469	4.50	44.00	69.00	2080	2000	60	3.8	400	5.5	1040	2.5
284	ICP454780NL-2000	454780	4.50	47.80	80.50	2000	1950	80	3.7	390	5.5	975	2.5
285	ICP454795H-3020	454795	4.50	47.00	95.00	3020	2900	60	3.8	580	5.5	1510	2.5
286	ICP454956NL-1020	454956	4.50	49.00	56.00	1020	980	100	3.7	196	5.5	490	2.5
287	ICP455086NL-2250	455086	4.50	50.50	86.00	2250	2180	80	3.7	436	5.5	1090	2.5
288	ICP455368N-2100	455368	4.50	53.00	68.00	2100	2000	60	3.7	400	5.5	1000	2.5
289	ICP455460N-1660	455460	4.50	54.00	59.00	1660	1600	60	3.7	320	5.5	800	2.5
290	ICP4571A7N-4490	4571A7	4.30	71.00	107.00	4490	4300	60	3.7	860	5.5	2150	2.5
291	ICP4572B0NL-4150	4572B0	4.50	72.00	110.00	4150	4000	60	3.7	800	5.5	2000	2.5
292	ICP4573A0N-3000	4573A0	4.50	73.00	100.00	3000	2800	60	3.7	560	5.5	1400	2.5
293	ICP4573A0N-3100	4573A0	4.50	73.00	100.00	3100	3000	60	3.7	600	5.5	1500	2.5
294	ICP4574A8N-4490	4574A8	4.50	74.00	106.00	4490	4300	60	3.7	860	5.5	2150	2.5
295	ICP462430N-260	462430	4.60	24.00	30.00	260	250	200	3.7	50	5.5	125	2.5
296	ICP4640C5H-3255	4640C5	4.60	40.00	125.00	3255	3100	60	3.8	620	5.5	1550	2.5
297	ICP464160N-1560	464160	4.60	41.00	60.00	1560	1500	60	3.7	300	5.5	750	2.5
298	ICP4643C1N-3120	4643C1	4.60	43.00	121.00	3120	3000	60	3.7	624	5.5	1560	2.5
299	ICP464854N-1510	464854	4.60	48.00	54.50	1510	1450	70	3.7	290	5.5	755	2.5
300	ICP464957N-1660	464957	4.60	48.50	57.00	1660	1600	60	3.7	320	5.5	800	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
301	ICP465176N-2100	465176	4.60	51.00	76.00	2100	2000	60	3.7	400	5.5	1000	2.5
302	ICP4670C5N-5670	4670C5	4.60	70.00	125.00	5670	5400	60	3.7	1080	5.5	2700	2.5
303	ICP4689B8N-6250	4689B8	4.65	89.50	118.50	6250	6000	60	3.7	1200	5.5	3000	2.5
304	ICP473038N-615	473038	4.70	29.90	38.00	615	590	100	3.7	118	5.5	307.5	2.5
305	ICP474079H-2150	474079	4.70	40.00	79.00	2150	2070	50	3.85	414	5.5	1075	2.5
306	ICP4740D5N-3460	4740D5	4.70	40.00	135.00	3460	3300	60	3.7	660	5.5	1650	2.5
307	ICP474375NL-1790	474375	4.75	43.80	75.50	1790	1730	100	3.7	346	5.5	865	2.5
308	ICP475465H-2550	475465	4.70	54.00	65.00	2550	2450	60	3.8	490	5.5	1275	2.5
309	ICP4756C0N-4200	4756C0	4.70	56.00	120.00	4200	4000	60	3.7	800	5.5	2000	2.5
310	ICP475778H-3120	475778	4.70	57.00	77.50	3120	3000	60	3.8	600	5.5	1500	2.5
311	ICP475865H-2680	475865	4.70	58.00	65.00	2680	2580	60	3.8	516	5.5	1290	2.5
312	ICP475870H-2810	475870	4.70	57.60	69.50	2810	2700	60	3.8	540	5.5	1405	2.5
313	ICP4758C0N-3920	4758C0	4.70	58.00	120.00	3920	3800	50	3.7	760	5.5	1900	2.5
314	ICP476478NL-2760	476478	4.70	64.00	78.00	2760	2660	80	3.7	532	5.5	1330	2.5
315	ICP4840C5N-3200	4840C5	4.80	40.00	125.00	3200	3080	60	3.7	616	5.5	1540	2.5
316	ICP4843C1N-3150	4843C1	4.80	43.00	121.00	3150	3000	60	3.7	600	5.5	1500	2.5
317	ICP485158N-1995	485158	4.80	51.60	58.00	1995	1880	60	3.7	376	5.5	940	2.5
318	ICP485263N-2060	485263	4.70	51.00	62.00	2060	2020	60	3.7	404	5.5	1010	2.5
319	ICP485559H-2310	485559	4.80	55.00	59.00	2310	2200	60	3.8	440	5.5	1100	2.5
320	ICP485865N-2550	485865	4.86	58.60	65.00	2550	2450	50	3.7	490	5.5	1225	2.5
321	ICP485887N-3380	485887	4.80	58.00	87.00	3380	3250	60	3.7	650	5.5	1690	2.5
322	ICP486789AH-4250	486789A	4.80	67.00	89.00	4250	4100	50	3.8	820	5.5	2050	2.5
323	ICP486789N-3440	486789	4.80	67.00	89.00	3440	3300	50	3.7	660	5.5	1650	2.5
324	ICP486790NL-3470	486790	4.80	67.00	90.00	3470	3350	60	3.7	670	5.5	1675	2.5
325	ICP494678H-2700	494678	4.90	46.00	78.00	2700	2600	60	3.8	520	5.5	1350	2.5
326	ICP494793N-2625	494793	4.90	47.00	93.00	2625	2500	100	3.7	500	5.5	1250	2.5
327	ICP494957N-1780	494957	4.90	48.50	57.00	1780	1700	60	3.7	340	5.5	850	2.5
328	ICP494959H-2000	494959	4.90	49.00	59.00	2000	1950	50	3.8	390	5.5	975	2.5
329	ICP4960C3H-5250	4960C3	4.90	60.00	123.00	5250	5000	60	3.8	1000	5.5	2500	2.5
330	ICP496369NL-2450	496369	4.90	63.00	69.00	2450	2360	80	3.7	472	5.5	1180	2.5
331	ICP496582H-4160	496582	4.90	65.00	82.00	4160	4000	60	3.8	832	5.5	2080	2.5
332	ICP503270N-1350	503270	5.00	32.00	70.00	1350	1300	60	3.7	260	5.5	650	2.5
333	ICP5032C8N-2860	5032C8	5.00	32.00	128.00	2860	2750	60	3.7	550	5.5	1430	2.5
334	ICP504365NL-1630	504365	5.00	43.50	65.00	1630	1570	100	3.7	314	5.5	785	2.5
335	ICP504381NL-2200	504381	5.00	43.50	81.50	2200	2100	80	3.7	420	5.5	1050	2.5
336	ICP504859H-2080	504859	5.00	48.00	59.00	2080	2000	60	3.8	400	5.5	1000	2.5
337	ICP505456N-2100	505456	5.00	54.00	56.00	2100	2030	60	3.7	406	5.5	1015	2.5
338	ICP5054A5N-4160	5054A5	5.00	54.00	105.00	4160	4000	60	3.7	832	5.5	2080	2.5
339	ICP505781N-3120	505781	5.00	57.00	81.00	3120	3000	60	3.7	600	5.5	1500	2.5
340	ICP505869H-2935	505869	5.00	58.00	69.00	2935	2820	50	3.8	587	5.5	1467.5	2.5
341	ICP505885N-3000	505885	5.00	58.00	85.00	3000	2900	60	3.7	580	5.5	1450	2.5
342	ICP5058C0N-4100	5058C0	5.00	58.00	120.00	4100	3800	60	3.7	760	5.5	1900	2.5
343	ICP5058C0N-4300	5058C0	4.70	58.00	120.00	4300	4100	60	3.7	820	5.5	2150	2.5
344	ICP506971N-3015	506971	5.00	69.50	71.00	3015	2900	60	3.7	580	5.5	1507.5	2.5
345	ICP514591H-3120	514591	5.15	44.50	91.00	3120	3000	50	3.8	624	5.5	1560	2.5
346	ICP514689H-3120	514689	5.10	46.00	89.00	3120	3000	45	3.8	624	5.5	1560	2.5
347	ICP514860H-2180	514860	5.10	48.00	60.00	2180	2100	60	3.8	420	5.5	1050	2.5
348	ICP515284N-2600	515284	5.20	52.00	84.00	2600	2500	60	3.7	500	5.5	1300	2.5
349	ICP515298H-3460	515298	5.10	51.80	93.00	3460	3400	60	3.8	680	5.5	1730	2.5
350	ICP515562H-2700	515562	5.10	55.00	62.00	2700	2600	60	3.8	520	5.5	1300	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
351	ICP516168H-3150	516168	5.10	61.00	68.00	3150	3000	60	3.8	600	5.5	1500	2.5
352	ICP5162B4N-4780	5162B4	5.10	62.00	114.00	4780	4600	50	3.7	920	5.5	2300	2.5
353	ICP516377H-4000	516377	5.10	62.70	76.60	4000	3915	50	3.8	783	5.5	2000	2.5
354	ICP523258N-1040	523258	5.20	32.00	58.00	1040	1000	80	3.7	208	5.5	520	2.5
355	ICP524380N-2100	524380	5.20	43.00	80.00	2100	2000	60	3.7	400	5.5	1000	2.5
356	ICP524462NL-1720	524462	5.20	44.50	62.50	1720	1650	100	3.7	330	5.5	825	2.5
357	ICP526846N-2080	526846	5.40	68.00	46.00	2080	2000	60	3.7	400	5.5	1040	2.5
358	ICP5270C5N-5620	5270C5	5.20	70.00	125.00	5620	5400	60	3.7	1080	5.5	2700	2.5
359	ICP527489N-4575	527489	5.20	74.00	89.00	4575	4400	40	3.7	880	5.5	2200	2.5
360	ICP528777N-4600	528777	5.20	87.00	77.00	4600	4400	60	3.7	880	5.5	2200	2.5
361	ICP533551NL-1000	533551	5.30	35.00	51.00	1000	985	120	3.7	197	5.5	492.5	2.5
362	ICP535285N-3120	535285	5.30	52.00	85.00	3120	3000	60	3.7	600	5.5	1500	2.5
363	ICP535668H-3120	535668	5.30	56.00	68.00	3120	3000	60	3.8	624	5.5	1560	2.5
364	ICP5362B4N-5250	5362B4	5.35	62.00	114.00	5250	5000	60	3.7	1000	5.5	2500	2.5
365	ICP536370N-3150	536370	5.30	63.00	70.00	3150	3000	60	3.7	600	5.5	1500	2.5
366	ICP536574N-3230	536574	5.35	65.00	74.00	3230	3100	60	3.7	646	5.5	1615	2.5
367	ICP536789N-4300	536789	5.30	67.00	89.00	4300	4100	60	3.7	820	5.5	2150	2.5
368	ICP543540N-830	543540	5.40	35.00	40.00	830	800	80	3.7	160	5.5	400	2.5
369	ICP554396NL-2900	554396	5.50	43.00	96.50	2900	2800	80	3.7	560	5.5	1400	2.5
370	ICP5546B0N-3120	5546B0	5.50	46.00	110.00	3120	3000	60	3.7	624	5.5	1560	2.5
371	ICP555390NL-3350	555390	5.50	53.00	90.00	3350	3200	60	3.7	640	5.5	1600	2.5
372	ICP5560A9NL-4580	5560A9	5.50	61.00	109.50	4580	4420	60	3.7	884	5.5	2210	2.5
373	ICP556771NL-3050	556771	5.50	67.00	71.00	3050	2940	80	3.7	588	5.5	1470	2.5
374	ICP563450N-1140	563450	5.60	33.50	50.00	1140	1100	60	3.7	220	5.5	550	2.5
375	ICP564874N-2880	564874	5.60	48.00	74.00	2880	2770	60	3.7	576	5.5	1440	2.5
376	ICP5663A8N-5250	5663A8	5.60	63.00	108.00	5250	5200	60	3.7	1040	5.5	2600	2.5
377	ICP572935N-570	572935	5.70	29.00	35.00	570	550	120	3.7	114	5.5	285	2.5
378	ICP5732B0H-2800	5732B0	5.70	32.00	110.00	2800	2700	60	3.8	540	5.5	1350	2.5
379	ICP575166HL-2600	575166	5.75	51.50	66.50	2600	2500	80	3.75	500	5.5	1250	2.5
380	ICP5758B2N-4620	5758B2	5.70	58.00	112.00	4620	4400	60	3.7	880	5.5	2200	2.5
381	ICP582535N-520	582535	5.80	25.00	35.00	520	500	120	3.7	100	5.5	250	2.5
382	ICP583970N-2000	583970	5.80	39.00	70.00	2000	1950	60	3.7	390	5.5	975	2.5
383	ICP584060N-1640	584060	5.80	40.00	60.00	1640	1580	60	3.7	328	5.5	820	2.5
384	ICP584573N-2500	584573	5.80	45.00	73.00	2500	2400	60	3.7	480	5.5	1250	2.5
385	ICP5851D4N-5200	5851D4	5.80	51.00	134.00	5200	5000	60	3.7	1000	5.5	2500	2.5
386	ICP585488H-4160	585488	5.80	54.00	88.00	4160	4000	60	3.8	800	5.5	2080	2.5
387	ICP586096H-5000	586096	5.80	60.00	96.00	5000	4800	60	3.8	960	5.5	2400	2.5
388	ICP5862B4N-5200	5862B4	5.80	62.00	114.00	5200	5000	50	3.7	1000	5.5	2500	2.5
389	ICP5870C5N-6510	5870C5	5.80	70.00	125.00	6510	6200	60	3.7	1240	5.5	3100	2.5
390	ICP594677NL-2700	594677	5.95	46.50	77.80	2700	2600	80	3.7	520	5.5	1300	2.5
391	ICP595162N-2400	595162	5.90	51.00	62.00	2400	2300	60	3.7	460	5.5	1150	2.5
392	ICP596080N-4212	596080	5.90	60.00	80.00	4212	4050	60	3.7	810	5.5	2025	2.5
393	ICP596168NL-2100	596168	5.90	61.00	68.00	2100	2000	80	3.7	400	5.5	1000	2.5
394	ICP603051N-1050	603051	6.00	30.00	51.00	1050	1000	80	3.7	200	5.5	500	2.5
395	ICP603136N-780	603136	6.00	31.00	36.00	780	750	80	3.7	150	5.5	375	2.5
396	ICP603450N-1300	603450	6.00	34.00	50.00	1300	1250	70	3.7	260	5.5	650	2.5
397	ICP603450N-1310	603450	6.00	34.00	50.00	1310	1250	60	3.7	250	5.5	625	2.5
398	ICP604041N-1200	604041	6.00	40.00	41.00	1200	1150	70	3.7	230	5.5	575	2.5
399	ICP604060N-1600	604060	6.00	40.00	60.00	1600	1530	60	3.7	306	5.5	765	2.5
400	ICP604199H-3450	604199	5.95	40.50	99.00	3450	3300	60	3.8	660	5.5	1650	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
401	ICP605158N-2100	605158	6.00	51.00	57.50	2100	2000	60	3.7	400	5.5	1000	2.5
402	ICP605466N-2900	605466	6.00	54.00	66.00	2900	2800	50	3.7	560	5.5	1400	2.5
403	ICP605468N-2620	605468	6.00	54.00	68.00	2620	2500	60	3.7	524	5.5	1310	2.5
404	ICP605672N-3360	605672	6.00	56.00	72.00	3360	3200	60	3.7	640	5.5	1600	2.5
405	ICP606168N-2720	606168	6.00	61.00	68.00	2720	2600	70	3.7	520	5.5	1300	2.5
406	ICP606168N-3150	606168	6.00	61.00	68.00	3150	3000	60	3.7	600	5.5	1500	2.5
407	ICP606168NL-2600	606168	6.00	61.50	68.50	2600	2500	80	3.7	500	5.5	1250	2.5
408	ICP606370N-3650	606370	6.00	63.00	70.00	3650	3500	60	3.7	700	5.5	1750	2.5
409	ICP6063A8H-6300	6063A8	6.00	63.00	108.00	6300	6000	60	3.8	1200	5.5	3000	2.5
410	ICP6063A8N-5800	6063A8	6.10	63.00	108.00	5800	5600	60	3.7	1120	5.5	2800	2.5
411	ICP6151A1N-4350	6151A1	6.10	51.30	101.00	4350	4200	50	3.7	840	5.5	2100	2.5
412	ICP615395N-4200	615395	6.10	53.00	95.00	4200	4000	60	3.7	800	5.5	2000	2.5
413	ICP616168NL-3000	616168	6.10	61.50	68.50	3000	2850	60	3.7	570	5.5	1425	2.5
414	ICP616789N-4100	616789	6.10	67.00	89.50	4100	3950	60	3.7	790	5.5	1975	2.5
415	ICP623760NL-1620	623760	6.25	37.50	60.00	1620	1560	100	3.7	312	5.5	780	2.5
416	ICP623845NL-1280	623845	6.30	39.00	46.00	1280	1200	120	3.7	240	5.5	600	2.5
417	ICP623946NL-1240	623946	6.30	39.00	46.00	1240	1200	100	3.7	240	5.5	600	2.5
418	ICP624035N-960	624035	6.25	40.00	35.30	960	920	70	3.7	184	5.5	460	2.5
419	ICP6240A0N-3360	6240A0	6.20	40.00	100.00	3360	3200	60	3.7	640	5.5	1600	2.5
420	ICP6240A0N-3570	6240A0	6.20	40.00	100.00	3570	3400	60	3.7	680	5.5	1700	2.5
421	ICP625170H-3150	625170	6.20	51.00	70.00	3150	3000	60	3.8	600	5.5	1575	2.5
422	ICP625390NL-3760	625390	6.20	53.00	90.00	3760	3650	60	3.7	730	5.5	1825	2.5
423	ICP625466NL-2780	625466	6.20	54.00	66.50	2780	2680	80	3.7	536	5.5	1340	2.5
424	ICP625885N-4150	625885	6.20	58.00	85.00	4150	4000	50	3.7	800	5.5	2000	2.5
425	ICP626090H-5250	626090	6.20	60.00	90.00	5250	5000	50	3.8	1000	5.5	2500	2.5
426	ICP632990N-2000	632990	6.30	29.00	90.00	2000	1800	60	3.7	360	5.5	900	2.5
427	ICP632990N-2070	632990	6.30	29.00	90.00	2070	2000	60	3.7	414	5.5	1035	2.5
428	ICP6345D4N-4650	6345D4	6.30	45.00	134.00	4650	4550	60	3.7	910	5.5	2275	2.5
429	ICP635176N-3150	635176	6.30	51.00	76.00	3150	3020	60	3.7	604	5.5	1510	2.5
430	ICP635781N-4160	635781	6.30	57.00	81.00	4160	4000	60	3.7	800	5.5	2000	2.5
431	ICP636294H-5460	636294	6.30	62.00	94.00	5460	5250	50	3.8	1050	5.5	2625	2.5
432	ICP6445C5H-5200	6445C5	6.40	45.00	125.00	5200	5000	60	3.8	1000	5.5	2500	2.5
433	ICP644690H-3990	644690	6.40	46.00	90.00	3990	3800	60	3.8	760	5.5	1900	2.5
434	ICP644690N-3150	644690	6.40	46.00	90.00	3150	3000	60	3.7	600	5.5	1500	2.5
435	ICP644697H-4150	644697	6.45	46.00	97.00	4150	4000	60	3.8	800	5.5	2000	2.5
436	ICP653670N-2000	653670	6.50	36.00	70.00	2000	1900	60	3.7	380	5.5	1000	2.5
437	ICP653943N-1450	653943	6.70	39.00	43.00	1450	1400	60	3.7	280	5.5	700	2.5
438	ICP654573N-2920	654573	6.50	45.00	72.50	2920	2800	60	3.7	560	5.5	1400	2.5
439	ICP654870N-2600	654870	6.50	48.00	70.00	2600	2500	100	3.7	500	5.5	1250	2.5
440	ICP655548N-2290	655548	6.50	55.00	48.00	2290	2200	60	3.7	440	5.5	1100	2.5
441	ICP6558B2N-5670	6558B2	6.50	58.00	112.00	5670	5400	60	3.7	1080	5.5	2700	2.5
442	ICP6562D5N-6240	6562D5	6.50	62.00	135.00	6240	6000	60	3.7	1200	5.5	3120	2.5
443	ICP656580N-4835	656580	6.50	64.80	80.00	4835	4650	60	3.7	967	5.5	2417.5	2.5
444	ICP6565B0NL-6300	6565B0	6.50	65.50	110.50	6300	6000	60	3.7	1200	5.5	3000	2.5
445	ICP663766N-2080	663766	6.65	37.00	66.00	2080	2000	60	3.7	400	5.5	1040	2.5
446	ICP665462N-2625	665462	6.60	54.00	62.50	2625	2500	55	3.7	500	5.5	1250	2.5
447	ICP674080H-3120	674080	6.70	39.50	80.00	3120	3000	60	3.8	600	5.5	1560	2.5
448	ICP675358N-2600	675358	6.75	53.00	58.00	2600	2500	60	3.7	500	5.5	1300	2.5
449	ICP675369NL-3050	675369	6.70	53.00	69.00	3050	2950	80	3.7	590	5.5	1475	2.5
450	ICP675395N-4200	675395	6.70	53.00	95.00	4200	4000	60	3.7	800	5.5	2000	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
451	ICP675468N-3150	675468	6.70	54.00	68.00	3150	3000	60	3.7	630	5.5	1575	2.5
452	ICP675488N-4515	675488	6.70	54.00	88.00	4515	4300	60	3.7	860	5.5	2150	2.5
453	ICP681469NL-610	681469	6.85	14.00	69.50	610	600	350	3.7	120	5.5	300	2.5
454	ICP685164N-3120	685164	6.80	51.00	64.00	3120	3000	60	3.7	600	5.5	1560	2.5
455	ICP685684N-4700	685684	7.00	56.00	84.00	4700	4500	50	3.7	900	5.5	2250	2.5
456	ICP686395N-5200	686395	6.80	63.00	95.00	5200	5000	50	3.7	1000	5.5	2500	2.5
457	ICP702427HL-450	702427	7.15	24.50	27.00	450	430	350	3.75	215	2.5	215	2.5
458	ICP703460N-1680	703460	7.00	24.00	60.00	1680	1600	60	3.7	320	5.5	800	2.5
459	ICP7045D0N-4680	7045D0	6.80	45.00	125.00	4680	4500	50	3.7	936	5.5	2340	2.5
460	ICP7045D0N-4725	7045D0	7.00	45.00	130.00	4725	4500	50	3.7	900	5.5	2250	2.5
461	ICP705171H-3535	705171	7.10	51.00	71.00	3535	3400	45	3.8	680	5.5	1700	2.5
462	ICP705462N-2800	705462	7.00	54.00	62.50	2800	2700	60	3.7	540	5.5	1350	2.5
463	ICP705462N-3280	705462	7.00	54.00	62.00	3280	3150	60	3.7	656	5.5	1640	2.5
464	ICP7054A5N-5000	7054A5	7.00	54.00	105.00	5000	4800	60	3.7	960	5.5	2400	2.5
465	ICP7060A3N-6240	7060A3	7.00	60.00	103.00	6240	6000	60	3.7	1200	5.5	3120	2.5
466	ICP7060C5N-7280	7060C5	7.00	60.00	125.00	7280	7000	60	3.7	1456	5.5	3640	2.5
467	ICP7061D1NL-5300	7061D1	7.00	61.50	131.50	5300	5000	60	3.7	1000	5.5	2500	2.5
468	ICP706290N-5510	706290	7.00	62.00	90.00	5510	5300	60	3.7	1102	5.5	2755	2.5
469	ICP706370N-4200	706370	7.00	63.00	70.00	4200	4000	60	3.7	800	5.5	2000	2.5
470	ICP724672N-3120	724672	7.20	46.00	72.00	3120	3000	60	3.7	624	5.5	1560	2.5
471	ICP725075NL-3680	725075	7.20	50.50	75.50	3680	3500	60	3.7	700	5.5	1750	2.5
472	ICP7250B4N-5720	7250B4	7.20	50.00	114.00	5720	5500	60	3.7	1100	5.5	2860	2.5
473	ICP725290N-4200	725290	7.20	52.00	90.00	4200	4000	60	3.7	800	5.5	2000	2.5
474	ICP725575N-3780	725575	7.50	55.00	75.00	3780	3600	60	3.7	720	5.5	1800	2.5
475	ICP732695NL-2300	732695	7.40	26.00	95.00	2300	2200	80	3.7	440	5.5	1100	2.5
476	ICP734250N-2030	734250	7.30	42.00	50.00	2030	1950	60	3.7	406	5.5	1015	2.5
477	ICP7446A2N-4200	7446A2	7.40	46.00	102.00	4200	4000	50	3.7	800	5.5	2000	2.5
478	ICP7452A0N-3930	7452A0	7.40	52.00	100.00	3930	3750	60	3.7	750	5.5	1875	2.5
479	ICP74A5A0N-7875	74A5A0	7.40	105.00	100.00	7875	7500	60	3.7	1500	5.5	3750	2.5
480	ICP753462NL-1850	753462	7.60	34.00	62.00	1850	1800	100	3.7	360	5.5	900	2.5
481	ICP755590N-4160	755590	7.20	55.00	90.00	4160	4000	60	3.7	800	5.5	2080	2.5
482	ICP756284N-5800	756284	7.50	62.00	84.00	5800	5600	60	3.7	1160	5.5	2900	2.5
483	ICP774765N-3150	774765	7.75	47.00	65.00	3150	3000	60	3.7	600	5.5	1500	2.5
484	ICP775266H-3750	775266	7.70	52.00	66.00	3750	3600	60	3.8	720	5.5	1800	2.5
485	ICP785488N-5300	785488	7.80	54.00	88.00	5300	5100	60	3.7	1020	5.5	2650	2.5
486	ICP7954A3N-4680	7954A3	7.90	54.00	103.00	4680	4500	60	3.7	900	5.5	2340	2.5
487	ICP795596N-5200	795596	7.90	55.00	96.00	5200	5000	60	3.7	1000	5.5	2500	2.5
488	ICP796585N-6240	796585	7.90	65.00	85.00	6240	6000	60	3.7	1200	5.5	3120	2.5
489	ICP804253N-2100	804253	8.00	42.00	53.00	2100	2000	80	3.7	400	5.5	1000	2.5
490	ICP804267N-3000	804267	8.10	42.00	67.00	3000	2900	60	3.7	600	5.5	1500	2.5
491	ICP805080N-3950	805080	7.50	50.00	80.00	3950	3800	60	3.7	760	5.5	1900	2.5
492	ICP805080N-4160	805080	8.00	50.00	80.00	4160	4000	60	3.7	800	5.5	2000	2.5
493	ICP805269N-3120	805269	8.00	52.00	69.00	3120	3000	60	3.7	600	5.5	1500	2.5
494	ICP805269N-3750	805269	8.00	52.00	69.00	3750	3600	60	3.7	600	5.5	1500	2.5
495	ICP8054A4N-6000	8054A4	8.00	54.00	104.00	6000	5800	50	3.7	1160	5.5	2900	2.5
496	ICP805575N-4680	805575	8.00	55.00	75.00	4680	4500	60	3.7	900	5.5	2340	2.5
497	ICP805585H-5830	805585	8.00	55.00	85.00	5830	5600	60	3.8	1166	5.5	2915	2.5
498	ICP805781N-5200	805781	8.00	57.00	81.00	5200	5000	60	3.7	1000	5.5	2500	2.5
499	ICP8058A5N-6550	8058A5	8.00	58.00	105.00	6550	6300	60	3.7	1310	5.5	3275	2.5
500	ICP806090N-6250	806090	8.00	60.00	90.00	6250	6000	50	3.7	1200	5.5	3000	2.5

软包聚合物常规电池型号表

序号	物料编号	型号	厚度 T (mm)	宽度 W (mm)	长度 L (mm)	容量 (mAh)		内阻 (mΩ, Max)	标称电压 (V)	标准充电		快速充电	
						典型值	最小值			电流 (mA)	时间 (h)	电流 (mA)	时间 (h)
501	ICP813438N-1160	813438	8.10	34.10	37.90	1160	1120	60	3.7	224	5.5	560	2.5
502	ICP815193N-5120	815193	8.10	51.00	93.00	5120	4920	60	3.7	1024	5.5	2460	2.5
503	ICP824672N-3650	824672	8.20	46.00	72.00	3650	3500	60	3.7	700	5.5	1750	2.5
504	ICP834772N-3745	834772	8.30	47.00	72.00	3745	3600	60	3.7	720	5.5	1872.5	2.5
505	ICP843771H-3280	843771	8.40	37.50	70.90	3280	3152	60	3.8	630.4	5.5	1640	2.5
506	ICP845195N-5250	845195	8.40	51.00	95.00	5250	5000	60	3.7	1000	5.5	2500	2.5
507	ICP853465N-2000	853465	8.40	34.00	64.00	2000	1950	60	3.7	400	5.5	1000	2.5
508	ICP853764N-2600	853764	8.50	37.00	64.00	2600	2500	60	3.7	500	5.5	1300	2.5
509	ICP854165N-2625	854165	8.50	41.00	65.00	2625	2500	60	3.7	500	5.5	1250	2.5
510	ICP854449NL-2150	854449	8.50	44.50	49.50	2150	2000	100	3.7	400	5.5	1000	2.5
511	ICP8549A5N-5250	8549A5	8.50	49.00	105.00	5250	5000	50	3.7	1000	5.5	2500	2.5
512	ICP855887N-6350	855887	8.50	58.00	87.00	6350	6100	60	3.7	1220	5.5	3050	2.5
513	ICP863040N-1080	863040	8.60	30.00	40.00	1080	1000	70	3.7	200	5.5	500	2.5
514	ICP8675A3NL-5600	8675A3	6.00	75.00	103.00	5600	5400	60	3.7	1080	5.5	2700	2.5
515	ICP903047N-1450	903047	9.00	29.80	46.50	1450	1400	80	3.7	280	5.5	725	2.5
516	ICP903347NL-1510	903347	9.00	33.00	47.00	1510	1460	100	3.7	292	5.5	730	2.5
517	ICP903855N-1580	903855	9.00	38.00	55.00	1580	1520	60	3.7	304	5.5	760	2.5
518	ICP904360N-3120	904360	9.00	43.00	60.00	3120	3000	60	3.7	624	5.5	1560	2.5
519	ICP905072H-5100	905072	9.00	50.00	72.00	5100	4900	60	3.8	980	5.5	2550	2.5
520	ICP914978N-4785	914978	9.20	49.00	78.00	4785	4600	60	3.7	920	5.5	2392.5	2.5
521	ICP926290H-8360	926290	9.20	62.00	90.00	8360	8000	60	3.8	1600	5.5	4000	2.5
522	ICP926290N-7385	926290	9.20	62.00	90.00	7385	7100	60	3.7	14200	5.5	3692.5	2.5
523	ICP9332C5N-4470	9332C5	9.30	32.00	125.00	4470	4300	60	3.7	860	5.5	2235	2.5
524	ICP953468N-2465	953468	9.50	34.00	68.00	2465	2350	70	3.7	470	5.5	1175	2.5
525	ICP954261N-3150	954261	9.50	42.00	61.00	3150	3000	60	3.7	600	5.5	1500	2.5
526	ICP954832N-1860	954832	9.50	48.00	33.80	1860	1800	60	3.7	360	5.5	900	2.5
527	ICP955080N-5200	955080	9.50	50.00	80.00	5200	5000	60	3.7	1040	5.5	2600	2.5
528	ICP955175H-5200	955175	9.60	51.00	75.00	5200	5000	50	3.8	1040	5.5	2600	2.5
529	ICP963048N-1350	963048	9.40	30.00	46.50	1350	1300	60	3.7	260	5.5	675	2.5
530	ICP963981N-3750	963981	9.60	39.00	81.00	3750	3600	60	3.7	720	5.5	1800	2.5
531	ICP965866H-5650	965866	9.60	58.00	66.00	5650	5400	50	3.85	1080	5.5	2825	2.5
532	ICP974871N-4160	974871	9.70	48.00	71.00	4160	4000	60	3.7	800	5.5	2000	2.5
533	ICP974876N-5000	974876	9.70	48.00	76.00	5000	4800	60	3.7	960	5.5	2400	2.5
534	ICP984085N-4150	984085	9.80	40.00	85.00	4150	4000	60	3.7	800	5.5	2000	2.5
535	ICP984672N-4160	984672	9.80	46.00	72.00	4160	4000	60	3.7	832	5.5	2080	2.5
536	ICP985080N-5250	985080	9.80	50.00	80.00	5250	5000	50	3.7	1000	5.5	2500	2.5
537	ICP994751N-3120	994751	9.90	48.00	51.00	3120	3000	45	3.7	600	5.5	1560	2.5
538	ICPA04167N-3640	A04167	10.00	41.00	67.00	3640	3500	60	3.7	728	5.5	1820	2.5
539	ICPA04860N-4160	A04860	10.10	48.00	60.00	4160	4000	60	3.7	800	5.5	2080	2.5
540	ICPA368G1N-11960	A368G1	10.30	68.00	161.00	11960	11500	10	3.7	2300	5.5	5750	2.5
541	ICPB05277N-6240	B05277	10.95	51.50	76.50	6240	6000	60	3.7	1200	5.5	3000	2.5
542	ICPB05462N-4370	B05462	11.00	54.00	62.00	4370	4200	60	3.7	840	5.5	2185	2.5