

The standard model of cylindrical LiB List

No.	P/N	Model	Typical Capacity (mAh)	Nominal Voltage (V)	Internal Impedance (mΩ)	Max. Weight (g)	Cell Dimension		Charging Voltage (V)	Max. Continuous Charge Current (C)	Max. Continuous Discharge Current (C)	Max. discharge current (A)	Discharge cut-off voltage (V)
							Diameter (mm, ± 0.2)	Height (mm, ± 0.3)					
1	ICR18500EC-850	18500EC	850	3.7	<80	36±1	≤18.3	≤49.9	4.2	1	2	1.7	2.75
2	ICR18500EC-1000	18500EC	1000	3.7	<80	38±1	≤18.3	≤49.9	4.2	1	2	2.0	2.75
3	ICR18500EC-1100	18500EC	1100	3.7	<80	38±1	≤18.3	≤49.9	4.2	1	2	2.2	2.75
4	ICR18500EC-1200	18500EC	1200	3.7	<80	38±1	≤18.3	≤49.9	4.2	1	2	2.4	2.75
5	ICR18500EC-1300	18500EC	1300	3.7	<80	38±1	≤18.3	≤49.9	4.2	1	2	2.6	2.75
6	ICR18500EC-1400	18500EC	1400	3.7	<60	32.5±1	≤18.3	≤49.9	4.2	1	2	2.8	2.75
7	ICR18500EC-1500	18500EC	1500	3.7	<80	33±1	≤18.3	≤49.9	4.2	1	2	3.0	2.75
8	ICR18500EC-1600	18500EC	1600	3.7	<80	39±1	≤18.3	≤49.9	4.2	1	2	3.2	2.75
9	ICR18650EC-700	18650EC	700	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	1.4	2.75
10	ICR18650EC-800	18650EC	800	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	1.6	2.75
11	ICR18650EC-1000	18650EC	1000	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	2.0	2.75
12	ICR18650EC-1200	18650EC	1200	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	2.4	2.75
13	ICR18650EC-1300	18650EC	1300	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	2.6	2.75
14	ICR18650EC-1400	18650EC	1400	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	2.8	2.75
15	ICR18650EC-1500	18650EC	1500	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	3.0	2.75
16	ICR18650EC-1800	18650EC	1800	3.7	<60	42±1	≤18.4	≤65.0	4.2	1	2	3.6	2.75
17	ICR18650EC-2000A	18650EC	2000	3.6	<60	45±1	≤18.3	≤65.0	4.2	1	2	4.0	2.50
18	ICR18650EC-2000	18650EC	2000	3.7	<60	42.5±1	≤18.4	≤65.0	4.2	1	2	4.0	2.75
19	ICR18650EC-2200	18650EC	2200	3.7	<60	43.5±1	≤18.4	≤65.0	4.2	1	2	4.4	2.75
20	ICR18650EC-2250	18650EC	2250	3.6	<60	45±1	≤18.4	≤65.0	4.2	1	2	4.5	2.50
21	ICR18650EC-2400	18650EC	2400	3.7	<60	45±1	≤18.4	≤65.0	4.2	1	2	4.8	2.75
22	ICR18650EC-2500	18650EC	2500	3.6	<55	44.5±1	≤18.4	≤65.0	4.2	2	2	5.0	2.50
23	ICR18650EC-2600	18650EC	2600	3.7	<60	46.5±1	≤18.4	≤65.0	4.2	1	2	5.2	2.75
24	ICR18650EC-2800B	18650EC	2800	3.75	<60	46±1	≤18.4	≤65.0	4.2	1	2	5.6	3.00
25	ICR18650EC-2800	18650EC	2800	3.7	<60	45.5±1	≤18.4	≤65.0	4.2	1	2	5.6	2.75
26	ICR18650EC-3000	18650EC	3000	3.7	<60	46.5±1	≤18.4	≤65.0	4.2	1	2	6.0	2.75
27	IMR18650NC-1200	18650NC	1200	3.7	≤ 60	38±1	≤18.3	≤65.5	4.2	1	2	2.4	3.00
28	IMR18650NC-1500	18650NC	1500	3.7	≤ 60	39±1	≤18.3	≤65.5	4.2	1	2	3.0	3.00
29	IMR18650NC-1800	18650NC	1800	3.7	≤ 60	40±1	≤18.3	≤65.5	4.2	1	2	3.6	3.00
30	INR18650EC-2000	18650EC	2000	3.6	≤ 60	42±1	≤18.3	≤65.5	4.2	1	2	4.0	2.75
31	ICR18650EC-2200	18650EC	2200	3.7	≤ 50	43.5±1	≤18.1	≤65.3	4.2	0.5	2	4.4	2.75
32	INR18650EC-2600	18650EC	2600	3.7	≤ 60	44±1	≤18.1	≤65.3	4.2	0.5	2	5.2	2.75
33	ICR18650PC-1300A	18650PC	1300	3.6	<13	42±1	≤18.4	≤65.0	4.2	2	12	15.6	2.50
34	ICR18650PC-1300	18650PC	1300	3.7	≤ 12	43.5±1	≤18.1	≤65.3	4.2	1	20	26.0	2.75
35	ICR18650PC-1500	18650PC	1500	3.7	≤ 12	43.5±1	≤18.1	≤65.3	4.2	1	20	30.0	2.75
36	ICR18650PC-1600	18650PC	1600	3.6	<30	44±1	≤18.4	≤65.0	4.2	2	8	12.8	2.50
37	ICR18650PC-2000	18650PC	2000	3.7	≤ 30	41.5±1	≤18.1	≤65.3	4.2	1	5	10.0	2.75
38	ICR18650PC-2000B	18650PC	2000	3.7	≤ 18	42.5±1	≤18.1	≤65.3	4.2	1	15	30	2.75
39	ICR18650PC-2200	18650PC	2200	3.7	≤ 30	43.5±1	≤18.1	≤65.3	4.2	1	5	11.0	2.75
40	ICR18650FE-1100	18650FE	1100	3.2	≤ 13	41.5±1	≤18.1	≤65.3	3.6	1	45	49.5	2.00
41	IFR18650FE-1500	18650FE	1500	3.2	<60	39±1	≤18.4	≤65.0	4.2	1	2	3.0	2.00
42	ICR26650EC-2600	26650EC	2600	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	2.6	2.75
43	ICR26650EC-3000	26650EC	3000	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	3.0	2.75
44	ICR26650EC-3500	26650EC	3500	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	3.5	2.75
45	ICR26650EC-4200	26650EC	4200	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	4.2	2.75
46	ICR26650EC-5000	26650EC	5000	3.7	<50	81±2	≤26.3	≤66.4	4.2	1	1	5.0	2.75
47	IFR26650FE-2200	26650FE	2200	3.2	<40	81±2	≤26.3	≤66.4	3.6	5	10	22.0	2.00
48	IFR26650FE-2700	26650FE	2700	3.2	<40	81±2	≤26.3	≤66.4	3.6	2	3	8.1	2.00
49	IFR26650FE-3000	26650FE	3000	3.2	<40	81±2	≤26.3	≤66.4	3.6	2	3	9.0	2.00

Non standard model of cylindrical LiB List

No.	P/N	Model	Typical Capacity (mAh)	Nominal Voltage (V)	Internal Impedance (mΩ)	Max. Weight (g)	Cell Dimension		Charging Voltage (V)	Max. Continuous Charge Current (C)	Max. Continuous Discharge Current (C)	Max. discharge current (A)	Discharge cut-off voltage (V)
							Diameter (mm, ± 0.2)	Height (mm, ± 0.3)					
1	IFR14430FE-400	14430FE	400	3.2	<100	16±1	≤13.9	≤43	3.6	2	3	3	3.00
2	ICR14430HP-550	14430HP	550	3.7	<100	18±1	≤13.9	≤43	4.2	1	2	3	3.00
3	ICR14430EC-650	14430EC	650	3.7	<100	20±1	≤13.9	≤43	4.2	1	2	3	3.00
4	ICR14430EC-700	14430EC	700	3.7	<100	16±1	≤18.4	≤65	4.2	1	2	3	3.00
5	IFR14500FE-500	14500FE	500	3.2	<80	18±1	≤13.9	≤51	3.6	2	3	3	3.00
6	ICR14500EC-800	14500EC	800	3.7	<80	19±1	≤13.9	≤51	4.2	1	2	3	3.00
7	ICR14500HP-700	14500HP	700	3.7	<80	21±1	≤13.9	≤51	4.2	1	2	3	3.00
8	ICR14650HP-1000	14650HP	1000	3.7	<70	25±2	≤14	≤65	4.2	1	2	3	3.00
9	ICR16340PC-650	16340PC	650	3.7	<40	16.5±2	≤16.1	≤34	4.2	1	10	10	3.00
10	ICR16500PC-1200	16500PC	1200	3.7	<65	28±2	≤16.1	≤50	4.2	1	2	3	3.00
11	ICR16650PC-1600	16650PC	1600	3.7	<65	38±2	≤16.1	≤65	4.2	1	2	3	3.00
12	ICR17670EC-1550	17670EC	1550	3.7	<50	39.5±1	≤17.1	≤67	4.2	1	2	3	3.00
13	ICR18350EC-900	18350EC	900	3.7	<60	22±2	≤18.1	≤35	4.2	1	2	3	3.00
14	ICR25500EC-3000	25500EC	3000	3.7	<50	83±3	≤25.1	≤49.9	4.2	1	2	3	3.00
15	ICR25500EC-3500	25500EC	3500	3.7	<50	83±3	≤25.1	≤49.9	4.2	1	2	3	3.00
16	ICR26700BD-3400	26700BD	3400	3.8	<40	100±3	≤26.3	≤70.5	4.2	1	3	3	3.00
17	ICR26700HE-5000	26700HE	5000	3.6	<40	101±3	≤26.3	≤70.5	4.2	0.5	1.5	1.5	3.00
18	IFR26700FE-3300	26700FE	3300	3.2	<40	95±3	≤26.3	≤70.5	3.6	2	3	3	3.00
19	IFR36800FE-6500	36800FE	6500	3.2	<30	183±4	≤36.65	≤81	3.6	2	3	3	3.00

Cylindrical lithium iron phosphate lithium battery

No.	P/N	Model	Typical Capacity (mAh)	Nominal Voltage (V)	Internal Impedance (mΩ)	Max. Weight (g)	Cell Dimension		Charging Voltage (V)	Max. Continuous Charge Current (C)	Max. Continuous Discharge Current (C)	Max. discharge current (A)	Discharge cut-off voltage (V)
							Diameter (mm, ± 0.2)	Height (mm, ± 0.3)					
1	IFR14430FE-400	14430FE	400	3.2	<100	16±1	≤13.9	≤43	3.6	2	3	3	3.00
2	IFR14500FE-500	14500FE	500	3.2	<80	18±1	≤13.9	≤51	3.6	2	3	3	3.00
3	IFR26700FE-3300	26700FE	3300	3.2	<40	95±3	≤26.3	≤70.5	3.6	2	3	3	3.00
4	IFR36800FE-6500	36800FE	6500	3.2	<30	183±4	≤36.65	≤81	3.6	2	3	3	3.00
5	IFR18650FE-1500	18650FE	1500	3.2	<60	39±1	≤18.4	≤65.0	4.2	1	2	2	2.00
6	IFR26650FE-2200	26650FE	2200	3.2	<40	81±2	≤26.3	≤66.4	3.6	5	10	10	2.00
7	IFR26650FE-2700	26650FE	2700	3.2	<40	81±2	≤26.3	≤66.4	3.6	2	3	3	2.00
8	IFR26650FE-3000	26650FE	3000	3.2	<40	81±2	≤26.3	≤66.4	3.6	2	3	3	2.00

General polymer battery models list

						Capacity (mAh)				Standard charge		Fast charging	
No.	P/N	Model	Thickness (mm)	Width (mm)	Length (mm)	Typical	Minimum	Internal Impedance (mΩ, Max)	Nominal Voltage (V)	Current (mA)	Time (h)	Current (mA)	Time (h)
1	ICP1045B7N-7163	1045B7	10.00	45.00	117.00	7163	6822	60	3.7	1364	5.5	3411	2.5
2	ICP104772N-4160	104772	10.20	47.00	72.00	4160	4000	60	3.7	800	5.5	2080	2.5
3	ICP105781N-6240	105781	10.00	57.00	81.00	6240	6000	60	3.7	1200	5.5	3000	2.5
4	ICP1060B0N-8400	1060B0	9.80	60.50	112.50	8400	8000	50	3.7	1600	5.5	4000	2.5
5	ICP115060N-4150	115060	10.50	50.00	60.00	4150	4000	60	3.7	800	5.5	2000	2.5
6	ICP115573N-5250	115573	10.50	55.00	72.50	5250	5000	60	3.7	1000	5.5	2500	2.5
7	ICP115899N-8300	115899	10.50	58.50	99.00	8300	8000	60	3.7	1600	5.5	4000	2.5
8	ICP116368N-5800	116368	11.00	63.00	68.00	5800	5500	60	3.7	1100	5.5	2750	2.5
9	ICP126096H-10100	126096	11.50	60.00	96.00	10100	9700	60	3.8	1940	5.5	4850	2.5
10	ICP203073N-365	203073	2.00	30.00	73.00	365	350	120	3.7	70	5.5	175	2.5
11	ICP205080N-885	205080	2.00	50.00	80.00	885	850	100	3.7	170	5.5	425	2.5
12	ICP2398E6N-4150	2398E6	2.30	98.00	146.00	4150	4000	60	3.7	800	5.5	2000	2.5
13	ICP2495E0N-3990	2495E0	2.40	94.00	140.00	3990	3800	60	3.7	798	5.5	1995	2.5
14	ICP253074N-470	253074	2.50	30.00	74.00	470	450	100	3.7	90	5.5	235	2.5
15	ICP254085N-860	254085	2.50	40.00	85.00	860	820	80	3.7	164	5.5	410	2.5
16	ICP266873N-1770	266873	2.80	68.00	73.00	1770	1700	60	3.7	354	5.5	885	2.5
17	ICP282273NL-255	282273	2.90	22.50	73.00	255	240	400	3.7	120	2.5	120	2.5
18	ICP2858C0N-2625	2858C0	2.80	58.00	120.00	2625	2500	60	3.7	500	5.5	1250	2.5
19	ICP287379N-1760	287379	2.80	72.75	79.25	1760	1700	60	3.7	340	5.5	880	2.5
20	ICP287379N-2080	287379	2.80	72.75	79.25	2080	2000	60	3.7	400	5.5	1040	2.5
21	ICP2873A0N-2520	2873A0	2.80	72.50	100.00	2520	2400	60	3.7	480	5.5	1200	2.5
22	ICP287696N-2400	287696	2.80	76.00	96.00	2400	2300	70	3.7	460	5.5	1150	2.5
23	ICP2950E0N-2626	2950E0	2.90	50.00	140.00	2626	2500	60	3.7	500	5.5	1250	2.5
24	ICP295284N-1250	295284	2.90	52.00	84.00	1250	1200	70	3.7	240	5.5	625	2.5
25	ICP2952B0N-2180	2952B0	2.90	52.00	110.00	2180	2100	60	3.7	420	5.5	1050	2.5
26	ICP295386NL-1400	295386	2.90	53.00	86.00	1400	1310	100	3.7	262	5.5	655	2.5
27	ICP295788NL-1540	295788	2.90	57.00	88.00	1540	1480	100	3.7	296	5.5	740	2.5
28	ICP296056NL-1050	296056	2.90	60.00	57.00	1050	1000	120	3.7	200	5.5	500	2.5
29	ICP2964B3NL-2350	2964B3	2.90	64.00	123.00	2350	2270	80	3.7	454	5.5	1135	2.5
30	ICP297273H-1995	297273	2.93	71.90	72.90	1995	1900	60	3.8	376	5.5	940	2.5
31	ICP2972C8N-3535	2972C8	2.90	72.00	128.00	3535	3400	60	3.7	380	5.5	1700	2.5
32	ICP2984D6N-4700	2984D6	2.90	84.00	136.50	4700	4500	60	3.7	940	5.5	2350	2.5
33	ICP2984E4N-4515	2984E4	2.90	84.00	144.00	4515	4300	60	3.7	860	5.5	2150	2.5
34	ICP298989N-3000	298989	2.90	89.00	89.00	3000	2900	60	3.7	580	5.5	1450	2.5
35	ICP2990F0N-5615	2990F0	2.90	90.00	150.00	5615	5400	40	3.7	1080	5.5	2807.5	2.5
36	ICP301027NL-65	301027	3.20	11.00	27.50	65	62	300	3.7	31	2.5	31	2.5
37	ICP302226NL-145	302226	3.10	22.50	26.50	145	140	400	3.7	70	2.5	70	2.5
38	ICP303842N-550	303842	3.00	38.00	42.00	550	530	100	3.7	106	5.5	265	2.5
39	ICP303970N-1025	303970	3.00	39.20	70.40	1025	1000	60	3.7	200	5.5	500	2.5
40	ICP305348N-934	305348	3.00	53.80	46.00	934	900	80	3.7	180	5.5	450	2.5
41	ICP3053A8N-2390	3053A8	3.00	53.40	108.00	2390	2300	60	3.7	460	5.5	1195	2.5
42	ICP305490H-2080	305490	3.00	54.00	90.00	2080	2000	60	3.8	416	5.5	1040	2.5
43	ICP3054G7N-3120	3054G7	3.00	54.00	167.00	3120	3000	60	3.7	600	2.5	1500	2.5
44	ICP3056D0H-3120	3056D0	3.00	56.00	130.00	3120	3000	40	3.8	600	5.5	1560	2.5
45	ICP306370H-1830	306370	3.00	63.00	70.00	1830	1760	60	3.8	366	5.5	915	2.5
46	ICP3063A8H-3045	3063A8	3.00	63.00	108.00	3045	2900	60	3.8	580	5.5	1450	2.5
47	ICP306480N-1770	306480	3.00	64.00	80.00	1770	1700	60	3.7	354	5.5	885	2.5
48	ICP3064C0H-2755	3064C0	2.95	63.80	115.00	2755	2650	45	3.8	530	5.5	1377.5	2.5
49	ICP3064D7N-3830	3064D7	3.00	64.00	137.00	3830	3650	50	3.7	730	5.5	1825	2.5
50	ICP3067C1N-3120	3067C1	3.00	67.00	121.00	3120	3000	60	3.7	600	5.5	1500	2.5
51	ICP3074B8N-3330	3074B8	3.00	74.50	118.00	3330	3200	60	3.7	666	5.5	1665	2.5
52	ICP3075A5N-3150	3075A5	3.00	75.00	105.00	3150	3000	60	3.7	600	5.5	1500	2.5
53	ICP3075E9N-4680	3075E9	3.00	75.00	149.00	4680	4500	45	3.7	900	5.5	2340	2.5

General polymer battery models list

						Capacity (mAh)				Standard charge		Fast charging	
No.	P/N	Model	Thickness (mm)	Width (mm)	Length (mm)	Typical	Minimum	Internal Impedance (mΩ, Max)	Nominal Voltage (V)	Current (mA)	Time (h)	Current (mA)	Time (h)
54	ICP308287H-3120	308287	3.00	82.00	87.00	3120	3000	60	3.8	624	5.5	1560	2.5
55	ICP308289H-3225	308289	3.00	82.00	89.00	3225	3100	60	3.8	620	5.5	1612.5	2.5
56	ICP3083A3N-3400	3083A3	3.10	83.00	103.00	3400	3280	60	3.7	656	5.5	1640	2.5
57	ICP3089B8N-4260	3089B8	3.00	89.00	118.00	4260	4100	50	3.7	820	5.5	2130	2.5
58	ICP309597N-3950	309597	3.00	95.00	97.00	3950	3800	60	3.7	760	5.5	1975	2.5
59	ICP309877H-3120	309877	3.00	98.20	77.00	3120	3000	60	3.8	600	5.5	1500	2.5
60	ICP30A7A8N-4785	30A7A8	3.10	106.80	108.00	4785	4600	60	3.7	920	5.5	2392.5	2.5
61	ICP314363N-930	314363	2.80	43.00	63.00	930	900	80	3.7	180	5.5	450	2.5
62	ICP3149B5N-2390	3149B5	3.10	49.00	115.00	2390	2300	60	3.7	460	5.5	1150	2.5
63	ICP3158G4N-3650	3158G4	3.10	58.00	164.00	3650	3500	60	3.7	700	5.5	1750	2.5
64	ICP3160E0N-3120	3160E0	3.10	60.20	140.00	3120	3000	60	3.7	600	5.5	1500	2.5
65	ICP3170E3H-4710	3170E3	3.10	70.00	143.00	4710	4530	60	3.8	906	5.5	2355	2.5
66	ICP319597N-3380	319597	3.10	95.00	97.00	3380	3280	47	3.7	656	5.5	1640	2.5
67	ICP323077N-915	323077	3.20	30.00	77.00	915	880	80	3.7	176	5.5	440	2.5
68	ICP3232H5N-2240	3232H5	3.20	32.00	175.00	2240	2150	60	3.7	448	5.5	1120	2.5
69	ICP323450N-540	323450	3.20	33.50	50.00	540	520	100	3.7	104	5.5	260	2.5
70	ICP324078N-1350	324078	3.20	40.00	78.00	1350	1300	60	3.7	260	5.5	650	2.5
71	ICP326073H-2000	326073	3.20	60.00	73.00	2000	1920	60	3.8	400	5.5	1000	2.5
72	ICP3260A7H-3120	3260A7	3.20	60.00	107.00	3120	3000	40	3.8	600	5.5	1560	2.5
73	ICP326169H-1890	326169	3.20	60.50	69.00	1890	1800	60	3.8	360	5.5	900	2.5
74	ICP326173H-2080	326173	3.20	61.00	73.00	2080	2000	62	3.8	400	5.5	1040	2.5
75	ICP326282H-2570	326282	3.20	61.90	82.00	2570	2500	60	3.8	500	5.5	1250	2.5
76	ICP326469H-2080	326469	3.20	63.60	69.00	2080	2000	60	3.8	400	6.5	1000	2.5
77	ICP326593NL-2040	326593	3.20	65.00	93.00	2040	1970	100	3.7	394	5.5	985	2.5
78	ICP3268C0N-3500	3268C0	3.20	68.00	120.00	3500	3400	50	3.7	700	5.5	1750	2.5
79	ICP326981NL-1860	326981	3.20	69.00	81.00	1860	1800	100	3.7	360	5.5	900	2.5
80	ICP326982N-2260	326982	3.20	69.00	82.00	2260	2200	60	3.7	440	5.5	1100	2.5
81	ICP3282D5N-4680	3282D5	3.25	81.80	135.50	4680	4500	60	3.7	900	5.5	2250	2.5
82	ICP3283B8N-3990	3283B8	3.20	83.00	118.00	3990	3800	60	3.7	760	5.5	1900	2.5
83	ICP328490H-3640	328490	3.20	84.00	90.00	3640	3500	50	3.8	700	5.5	1820	2.5
84	ICP3295C5N-4720	3295C5	3.20	95.00	125.00	4720	4500	60	3.7	900	5.5	2250	2.5
85	ICP331122NL-42	331122	3.35	11.50	22.50	42	40	500	3.7	20	2.5	20	2.5
86	ICP333333N-380	333333	3.30	33.00	33.00	380	360	150	3.7	72	5.5	180	2.5
87	ICP334195H-1820	334195	3.30	41.40	94.50	1820	1750	60	3.8	350	5.5	875	2.5
88	ICP334397H-2060	334397	3.30	43.00	97.00	2060	2000	50	3.8	400	5.5	1000	2.5
89	ICP3345A7N-1950	3345A7	3.30	45.00	107.00	1950	1900	60	3.7	360	5.5	900	2.5
90	ICP335465H-1760	335465	3.30	54.00	65.00	1760	1700	60	3.8	340	5.5	880	2.5
91	ICP335465N-1640	335465	3.30	54.00	65.00	1640	1580	50	3.7	328	5.5	820	2.5
92	ICP335773H-1955	335773	3.30	57.00	73.00	1955	1900	60	3.8	360	5.5	900	2.5
93	ICP336273H-2185	336273	3.30	62.00	73.00	2185	2100	60	3.8	420	5.5	1050	2.5
94	ICP336283H-2570	336283	3.30	62.00	83.00	2570	2520	60	3.8	504	5.5	1260	2.5
95	ICP336369H-1870	336369	3.30	62.50	69.00	1870	1800	60	3.8	374	5.5	935	2.5
96	ICP336679H-2600	336679	3.32	65.50	78.50	2600	2500	60	3.8	520	5.5	1300	2.5
97	ICP336687NL-2040	336687	3.30	66.00	87.00	2040	1970	100	3.7	394	5.5	985	2.5
98	ICP337098N-2940	337098	3.30	70.00	98.00	2940	2800	60	3.7	560	5.5	1400	2.5
99	ICP3370B4N-3380	3370B4	3.30	70.00	114.00	3380	3250	40	3.7	650	5.5	1625	2.5
100	ICP338492N-3150	338492	3.30	84.00	92.00	3150	3000	60	3.7	600	5.5	1500	2.5
101	ICP338595NL-2900	338595	3.35	85.00	95.00	2900	2800	80	3.7	560	5.5	1400	2.5
102	ICP3389A2H-4500	3389A2	3.80	89.00	102.00	4500	4400	60	3.8	880	5.5	2250	2.5
103	ICP3389A2N-3900	3389A2	3.30	89.00	102.00	3900	3850	60	3.7	770	5.5	1950	2.5
104	ICP3389A2N-4000	3389A2	3.30	89.00	102.00	4000	3850	60	3.7	770	5.5	2000	2.5
105	ICP342748N-520	342748	3.40	237.00	48.00	520	500	120	3.7	104	5.5	260	2.5
106	ICP344657NL-980	344657	3.45	46.00	57.50	980	920	120	3.7	184	5.5	460	2.5

General polymer battery models list

No.	P/N	Model	Thickness (mm)	Width (mm)	Length (mm)	Capacity (mAh)		Internal Impedance (mΩ, Max)	Nominal Voltage (V)	Standard charge		Fast charging	
						Typical	Minimum			Current (mA)	Time (h)	Current (mA)	Time (h)
107	ICP345248N-1090	345248	3.40	52.00	48.00	1090	1050	70	3.7	210	5.5	525	2.5
108	ICP345596N-1825	345596	3.40	55.00	96.00	1825	1765	60	3.7	353	5.5	883	2.5
109	ICP345596N-2460	345596	3.40	55.00	96.00	2460	2350	60	3.7	470	5.5	1175	2.5
110	ICP345873H-2080	345873	3.40	58.00	73.00	2080	2000	60	3.8	400	5.5	1000	2.5
111	ICP345990N-2550	345990	3.40	59.00	90.00	2550	2450	60	3.7	490	5.5	1225	2.5
112	ICP346075N-2130	346075	3.40	60.00	73.50	2130	2050	60	3.7	410	5.5	1065	2.5
113	ICP3460E0N-3430	3460E0	3.40	60.00	140.00	3430	3300	60	3.7	660	5.5	1650	2.5
114	ICP3461C7N-3430	3461C7	3.30	61.00	127.00	3430	3300	40	3.7	660	5.5	1715	2.5
115	ICP346488N-2650	346488	3.40	64.00	88.00	2650	2550	60	3.7	510	5.5	1275	2.5
116	ICP3479B2N-3330	3479B2	3.40	79.00	112.00	3330	3200	45	3.7	640	5.5	1600	2.5
117	ICP349486NL-2960	349486	3.40	94.00	86.00	2960	2850	80	3.7	570	5.5	1425	2.5
118	ICP349578N-3230	349578	3.40	95.00	78.00	3230	3100	45	3.7	620	5.5	1550	2.5
119	ICP3550F4H-3950	3550F4	3.50	50.00	154.00	3950	3800	40	3.8	760	5.5	1975	2.5
120	ICP355570H-2170	355570	3.50	55.00	70.50	2170	2100	60	3.8	420	5.5	1085	2.5
121	ICP355672N-1870	355672	3.50	56.00	72.00	1870	1800	60	3.7	360	5.5	900	2.5
122	ICP3558C0N-2820	3558C0	3.50	58.00	120.00	2820	2700	60	3.7	540	5.5	1350	2.5
123	ICP3558C0N-3330	3558C0	3.50	58.00	120.00	3330	3200	60	3.7	640	5.5	1665	2.5
124	ICP3558E5AH-4370	3558E5A	3.50	58.00	145.00	4370	4200	60	3.8	840	5.5	2100	2.5
125	ICP3558E5N-3950	3558E5	3.50	58.00	145.00	3950	3800	60	3.7	760	5.5	1900	2.5
126	ICP355965H-2130	355965	3.50	59.00	65.00	2130	2050	60	3.8	410	5.5	1065	2.5
127	ICP3559F0N-4005	3559F0	3.50	59.00	149.50	4005	3850	60	3.7	770	5.5	2002.5	2.5
128	ICP356070H-2350	356070	3.50	60.00	70.00	2350	2315	50	3.8	463	5.5	1175	2.5
129	ICP356072H-2185	356072	3.50	60.00	71.50	2185	2100	60	3.8	420	5.5	1092.5	2.5
130	ICP356270H-2200	356270	3.50	61.50	70.00	2200	2170	40	3.8	434	5.5	1100	2.5
131	ICP356271N-2200	356271	3.50	62.00	71.00	2200	2100	60	3.7	420	5.5	1050	2.5
132	ICP3562E2N-3675	3562E2	3.50	62.00	142.00	3675	3500	60	3.7	700	5.5	1750	2.5
133	ICP356579N-2600	356579	35.00	64.75	78.75	2600	2500	60	3.7	500	5.5	1300	2.5
134	ICP356581H-3030	356581	3.44	64.60	81.00	3030	2945	40	3.8	589	5.5	1515	2.5
135	ICP356681H-2760	356681	3.50	66.00	81.00	2760	2650	60	3.8	530	5.5	1325	2.5
136	ICP3569A7N-3100	3569A7	3.50	69.00	107.00	3100	3000	60	3.7	620	5.5	1550	2.5
137	ICP357092N-3150	357092	3.50	70.00	92.00	3150	3000	60	3.7	600	5.5	1575	2.5
138	ICP3571A7N-3320	3571A7	3.40	71.00	107.00	3320	3200	50	3.7	640	5.5	1600	2.5
139	ICP3572A0N-3150	3572A0	3.50	72.00	100.00	3150	3000	60	3.7	600	5.5	1500	2.5
140	ICP3572C8N-3650	3572C8	3.50	72.00	128.00	3650	3500	60	3.7	700	5.5	1750	2.5
141	ICP3574A8H-4000	3574A8	3.50	74.00	108.00	4000	3900	60	3.8	780	5.5	1950	2.5
142	ICP3574A8N-3340	3574A8	3.50	74.00	106.00	3340	3200	60	3.7	640	5.5	1600	2.5
143	ICP3574A8N-3500	3574A8	3.50	74.00	106.00	3500	3400	60	3.7	680	5.5	1700	2.5
144	ICP3579B7N-4650	3579B7	3.50	79.00	117.00	4650	4500	50	3.7	900	5.5	2250	2.5
145	ICP3585A5N-4357	3585A5	3.50	85.00	105.00	4357	4150	60	3.7	830	5.5	2075	2.5
146	ICP362735NL-330	362735	3.65	27.00	35.50	330	320	400	3.7	160	2.5	160	2.5
147	ICP363061N-525	363061	3.60	30.00	61.00	525	500	80	3.7	100	5.5	250	2.5
148	ICP3652B0N-2800	3652B0	3.60	52.00	110.00	2800	2700	60	3.7	540	5.5	1350	2.5
149	ICP365670N-1870	365670	3.60	55.90	70.00	1870	1800	60	3.7	360	5.5	900	2.5
150	ICP365798H-2950	365798	3.60	57.00	98.00	2950	2850	60	3.8	570	5.5	1425	2.5
151	ICP366071N-2205	366071	3.60	60.00	71.00	2205	2100	60	3.7	420	5.5	1050	2.5
152	ICP366078H-2500	366078	3.60	60.00	78.00	2500	2400	60	3.8	480	5.5	1200	2.5
153	ICP3667B2N-3150	3667B2	3.60	67.00	112.00	3150	3020	60	3.7	604	5.5	1510	2.5
154	ICP3670B4N-3930	3670B4	3.60	70.00	114.00	3930	3750	60	3.7	750	5.5	1875	2.5
155	ICP3672C8N-4300	3672C8	3.55	72.00	128.00	4300	4100	60	3.7	820	5.5	2050	2.5
156	ICP367382H-3120	367382	3.60	73.70	82.00	3120	3000	60	3.8	600	5.5	1500	2.5
157	ICP3674B8N-4250	3674B8	3.60	74.50	118.00	4250	4100	50	3.7	820	5.5	2050	2.5
158	ICP3677B0H-4530	3677B0	3.60	77.00	110.00	4530	4350	60	3.8	870	5.5	2175	2.5
159	ICP367882N-2490	367882	3.60	78.00	82.00	2490	2400	80	3.7	480	5.5	1200	2.5

General polymer battery models list

						Capacity (mAh)				Standard charge		Fast charging	
No.	P/N	Model	Thickness (mm)	Width (mm)	Length (mm)	Typical	Minimum	Internal Impedance (mΩ, Max)	Nominal Voltage (V)	Current (mA)	Time (h)	Current (mA)	Time (h)
160	ICP375162H-1660	375162	3.70	51.00	62.00	1660	1600	60	3.8	320	5.5	830	2.5
161	ICP375370N-1850	375370	3.70	53.00	70.00	1850	1800	60	3.7	360	5.5	900	2.5
162	ICP375459H-1660	375459	3.70	53.50	59.00	1660	1600	60	3.8	332	5.5	830	2.5
163	ICP375698HL-3150	375698	3.80	56.50	98.50	3150	3000	60	3.8	600	5.5	1500	2.5
164	ICP375772H-2390	375772	3.70	57.00	72.00	2390	2300	60	3.8	460	5.5	1195	2.5
165	ICP3759D8H-4150	3759D8	3.70	59.00	137.50	4150	4000	60	3.8	800	5.5	2075	2.5
166	ICP376488N-2080	376488	3.70	64.00	88.00	2080	2000	60	3.7	410	5.5	1000	2.5
167	ICP376592N-2480	376592	3.80	65.50	92.00	2480	2400	60	3.7	480	5.5	1200	2.5
168	ICP376883H-2810	376883	3.70	68.00	83.00	2810	2700	60	3.8	540	5.5	1350	2.5
169	ICP3770C6NL-3950	3770C6	3.70	70.00	126.00	3950	3800	60	3.7	760	5.5	1900	2.5
170	ICP3780C5N-4700	3780C5	3.70	80.00	125.00	4700	4500	50	3.7	900	5.5	2250	2.5
171	ICP378186NL-2770	378186	3.70	81.00	86.00	2770	2670	80	3.7	534	5.5	1335	2.5
172	ICP3784E4N-5010	3784E4	3.70	84.00	144.00	5010	4800	50	3.7	960	5.5	2400	2.5
173	ICP383191N-1450	383191	3.80	31.00	91.00	1450	1400	60	3.7	280	5.5	700	2.5
174	ICP384262N-1070	384262	3.80	42.00	62.00	1070	1020	60	3.7	204	5.5	510	2.5
175	ICP384471N-1750	384471	3.90	43.50	71.50	1750	1700	60	3.7	340	5.5	850	2.5
176	ICP3845A5N-2470	3845A5	3.80	45.00	105.00	2470	2400	40	3.7	480	5.5	1235	2.5
177	ICP384859H-1560	384859	3.80	48.00	59.00	1560	1500	50	3.8	300	5.5	780	2.5
178	ICP384986N-2150	384986	3.80	49.00	86.00	2150	2100	60	3.7	420	5.5	1050	2.5
179	ICP385077H-2280	385077	3.80	50.00	77.00	2280	2200	60	3.8	440	5.5	1140	2.5
180	ICP385366H-2080	385366	3.90	52.90	66.00	2080	2020	60	3.8	404	5.5	1040	2.5
181	ICP385569H-2185	385569	3.80	55.00	69.00	2185	2100	60	3.8	420	5.5	1092.5	2.5
182	ICP385596N-2540	385596	3.80	55.00	96.00	2540	2450	60	3.7	490	5.5	1225	2.5
183	ICP3855A3NL-2570	3855A3	3.80	55.00	103.00	2570	2480	80	3.7	496	5.5	1240	2.5
184	ICP385769H-2180	385769	3.80	57.00	68.60	2180	2100	60	3.8	420	5.5	1050	2.5
185	ICP385879H-2720	385879	3.80	58.00	79.00	2720	2620	60	3.8	544	5.5	1360	2.5
186	ICP385971N-2100	385971	3.70	59.00	71.00	2100	2000	60	3.7	400	5.5	1000	2.5
187	ICP385979H-2810	385979	3.80	59.00	79.00	2810	2700	60	3.8	540	5.5	1405	2.5
188	ICP386488N-2300	386488	3.85	64.00	88.00	2300	2200	60	3.7	440	5.5	1100	2.5
189	ICP386592N-2100	386592	4.00	65.50	92.00	2100	2000	60	3.7	400	5.5	1000	2.5
190	ICP386676H-2950	386676	3.80	65.80	76.00	2950	2850	60	3.8	570	5.5	1425	2.5
191	ICP386789N-2700	386789	3.80	67.00	89.00	2700	2600	60	3.7	520	5.5	1300	2.5
192	ICP3872C8H-5200	3872C8	3.80	72.00	128.00	5200	5000	50	3.8	1000	5.5	2600	2.5
193	ICP3873A0N-3150	3873A0	3.80	72.50	100.50	3150	3000	50	3.7	600	5.5	1500	2.5
194	ICP387489N-3530	387489	3.80	74.00	89.00	3530	3400	60	3.7	680	5.5	1700	2.5
195	ICP387593N-3650	387593	3.80	75.00	93.00	3650	3500	60	3.7	700	5.5	1750	2.5
196	ICP389483N-3885	389483	3.80	94.00	83.00	3885	3700	60	3.7	740	5.5	1850	2.5
197	ICP394679N-1870	394679	3.90	46.00	79.00	1870	1800	60	3.7	370	5.5	925	2.5
198	ICP394764N-1560	394764	3.90	47.00	62.00	1560	1500	60	3.7	300	5.5	780	2.5
199	ICP395268H-2030	395268	3.90	52.00	67.50	2030	1950	60	3.8	390	5.5	1015	2.5
200	ICP395475H-2290	395475	3.90	54.00	75.00	2290	2200	60	3.8	440	5.5	1100	2.5
201	ICP395670N-2090	395670	3.90	56.00	70.00	2090	2000	60	3.7	400	5.5	1000	2.5
202	ICP395773H-2390	395773	3.90	57.00	73.00	2390	2300	60	3.8	478	5.5	1195	2.5
203	ICP3959C2NL-3450	3959C2	3.90	59.00	122.00	3450	3330	60	3.7	666	5.5	1665	2.5
204	ICP396370N-2350	396370	3.90	63.30	70.30	2350	2270	60	3.7	454	5.5	1135	2.5
205	ICP396686H-3330	396686	3.90	66.00	86.00	3330	3200	60	3.8	640	5.5	1600	2.5
206	ICP3967C1N-4250	3967C1	3.90	67.00	121.00	4250	4100	50	3.7	820	5.5	2050	2.5
207	ICP3970C5N-4200	3970C5	3.80	70.00	125.00	4200	4000	60	3.7	800	5.5	2000	2.5
208	ICP3971A7N-3420	3971A7	4.00	71.00	107.00	3420	3300		3.7	660	5.5	1650	2.5
209	ICP3972C8N-4850	3972C8	3.90	72.00	128.00	4850	4700	60	3.7	940	5.5	2350	2.5
210	ICP3972C8NL-5050	3972C8	3.90	72.80	128.80	5050	4850	60	3.7	970	5.5	2425	2.5
211	ICP401923NL-145	401923	4.10	19.50	23.50	145	140	400	3.7	70	2.5	70	2.5
212	ICP402026NL-170	402026	4.20	20.50	26.00	170	160	400	3.7	80	2.5	80	2.5

General polymer battery models list

						Capacity (mAh)				Standard charge		Fast charging	
No.	P/N	Model	Thickness (mm)	Width (mm)	Length (mm)	Typical	Minimum	Internal Impedance (mΩ, Max)	Nominal Voltage (V)	Current (mA)	Time (h)	Current (mA)	Time (h)
213	ICP402028NL-190	402028	4.20	20.50	28.50	190	180	400	3.7	90	2.5	90	2.5
214	ICP402035NL-220	402035	4.00	21.00	35.00	220	210	400	3.7	105	2.5	105	2.5
215	ICP402529H-290	402529	4.00	2.50	2.90	290	280	120	3.8	56	5.5	145	2.5
216	ICP402529N-280	402529	4.10	2.50	2.90	280	270	120	3.7	54	5.5	140	2.5
217	ICP402533N-330	402533	4.00	25.00	32.80	330	320	120	3.7	64	5.5	165	2.5
218	ICP402537N-440	402537	4.00	25.00	37.00	440	425	120	3.7	85	5.5	220	2.5
219	ICP402634N-420	402634	4.00	26.00	34.00	420	400	120	3.7	80	5.5	200	2.5
220	ICP402890N-1345	402890	4.00	28.50	90.00	1345	1300	60	3.7	260	5.5	650	2.5
221	ICP404078N-1660	404078	4.00	40.00	78.00	1660	1600	60	3.7	320	5.5	800	2.5
222	ICP4043A6N-1680	4043A6	4.00	43.00	106.00	1680	1600	60	3.7	320	5.5	800	2.5
223	ICP404860N-1620	404860	4.00	48.00	60.00	1620	1560	60	3.7	312	5.5	810	2.5
224	ICP404900N-3420	404900	3.80	49.00	142.00	3420	3300	50	3.7	660	5.5	1650	2.5
225	ICP404953N-1450	404953	4.00	49.00	53.00	1450	1400	60	3.7	280	5.5	700	2.5
226	ICP4050E5N-3420	4050E5	4.00	50.00	145.00	3420	3300	50	3.7	660	5.5	1650	2.5
227	ICP405195H-2860	405195	4.00	51.00	95.00	2860	2750	50	3.8	550	5.5	1430	2.5
228	ICP405285N-2180	405285	4.00	52.00	85.00	2180	2100	60	3.7	420	5.5	1050	2.5
229	ICP405459N-1730	405459	4.00	53.50	59.00	1730	1680	60	3.7	336	5.5	840	2.5
230	ICP405460NL-1450	405460	4.00	54.00	60.00	1450	1400	100	3.7	280	5.5	700	2.5
231	ICP4058C0N-3150	4058C0	4.00	58.00	120.00	3150	3000	50	3.7	600	5.5	1500	2.5
232	ICP4058E5N-4580	4058E5	4.00	58.00	145.00	4580	4400	60	3.7	880	5.5	2200	2.5
233	ICP406477N-2720	406477	4.00	64.30	77.50	2720	2620	60	3.7	524	5.5	1310	2.5
234	ICP406571H-2910	406571	4.00	64.50	71.00	2910	2800	60	3.8	560	5.5	1455	2.5
235	ICP4067B2N-3780	4067B2	4.00	67.00	112.00	3780	3600	60	3.7	720	5.5	1800	2.5
236	ICP4069C4H-4700	4069C4	4.06	68.60	124.00	4700	4550	15~36	3.8	910	5.5	2350	2.5
237	ICP4070A8NL-3650	4070A8	4.00	70.00	108.00	3650	3500	60	3.7	700	5.5	1750	2.5
238	ICP407964N-2600	407964	4.00	79.00	64.00	2600	2500	50	3.7	500	5.5	1250	2.5
239	ICP408673N-3570	408673	4.00	86.00	73.00	3570	3400	60	3.7	680	5.5	1700	2.5
240	ICP408777N-3150	408777	4.00	87.00	77.00	3150	3020	60	3.7	604	5.5	1510	2.5
241	ICP414289H-2130	414289	4.10	42.50	88.60	2130	2030	50	3.8	406	5.5	1015	2.5
242	ICP415457NL-1450	415457	4.10	54.50	57.50	1450	1400	100	3.7	280	5.5	700	2.5
243	ICP415656N-1790	415656	4.20	56.00	56.50	1790	1720	60	3.7	344	5.5	860	2.5
244	ICP416070H-2570	416070	4.10	60.00	69.90	2570	2520	40	3.8	504	5.5	1285	2.5
245	ICP4160D9NL-2800	4160D9	4.10	60.00	139.50	2800	2700	80	3.7	540	5.5	1350	2.5
246	ICP4169A7N-4000	4169A7	4.10	69.00	107.00	4000	3800	50	3.7	760	5.5	1900	2.5
247	ICP422539NL-495	422539	4.20	25.50	39.50	495	465	200	3.7	93	5.5	232.5	2.5
248	ICP4243C1N-2560	4243C1	4.25	43.00	121.00	2560	2450	60	3.7	490	5.5	1225	2.5
249	ICP424468N-1710	424468	4.20	44.00	68.00	1710	1650	60	3.7	330	5.5	825	2.5
250	ICP425460N-1660	425460	4.20	53.50	59.00	1660	1600	60	3.7	320	5.5	800	2.5
251	ICP425560N-1600	425560	4.20	54.00	59.00	1600	1550	60	3.7	310	5.5	775	2.5
252	ICP425569NL-1870	425569	4.20	55.00	69.00	1870	1800	100	3.7	360	5.5	900	2.5
253	ICP425785H-3120	425785	4.16	57.30	85.00	3120	3020	120	3.8	604	5.5	1560	2.5
254	ICP425885N-2810	425885	4.20	58.00	85.00	2810	2700	40	3.7	540	5.5	1405	2.5
255	ICP4258C0N-4000	4258C0	4.20	58.00	120.00	4000	3850	60	3.7	770	5.5	1925	2.5
256	ICP426080N-2808	426080	4.20	60.00	80.00	2808	2700	60	3.7	540	5.5	1350	2.5
257	ICP4260C3N-4370	4260C3	4.20	60.00	123.00	4370	4200	60	3.7	840	5.5	2185	2.5
258	ICP428853N-2700	428853	4.20	88.00	53.00	2700	2600	50	3.7	520	5.5	1300	2.5
259	ICP435467N-2100	435467	4.20	54.50	68.00	2100	2020	60	3.7	404	5.5	1010	2.5
260	ICP435573H-2600	435573	4.30	54.60	73.00	2600	2500	60	3.8	520	5.5	1300	2.5
261	ICP435668H-2390	435668	4.30	56.00	68.00	2390	2300	60	3.8	478	5.5	1195	2.5
262	ICP4366B0N-3450	4366B0	4.30	66.00	110.00	3450	3300	50	3.7	690	5.5	1725	2.5
263	ICP4390B3N-5250	4390B3	4.30	90.00	113.00	5250	5000	60	3.7	1000	5.5	2500	2.5
264	ICP4427D8N-2235	4427D8	4.40	27.00	138.00	2235	2150	40	3.7	430	5.5	1117.5	2.5
265	ICP443441N-425	443441	4.20	34.00	41.50	425	410	120	3.7	82	5.5	205	2.5

General polymer battery models list

						Capacity (mAh)				Standard charge		Fast charging	
No.	P/N	Model	Thickness (mm)	Width (mm)	Length (mm)	Typical	Minimum	Internal Impedance (mΩ, Max)	Nominal Voltage (V)	Current (mA)	Time (h)	Current (mA)	Time (h)
266	ICP4434D2N-2415	4434D2	4.38	33.80	132.40	2415	2300	60	3.7	460	5.5	1150	2.5
267	ICP444271N-1350	444271	4.40	42.50	71.50	1350	1300	60	3.7	260	5.5	650	2.5
268	ICP444365N-950	444365	4.40	43.00	65.00	950	910	60	3.7	182	5.5	455	2.5
269	ICP444454H-1510	444454	4.40	44.00	54.00	1510	1450	60	3.8	290	5.5	725	2.5
270	ICP444454N-1350	444454	4.40	44.00	54.00	1350	1300	60	3.7	270	5.5	675	2.5
271	ICP444562H-1770	444562	4.40	45.00	62.00	1770	1700	60	3.8	340	5.5	850	2.5
272	ICP4445C0N-3120	4445C0	4.40	45.00	120.00	3120	3000	60	3.7	600	5.5	1500	2.5
273	ICP444853H-1575	444853	4.50	48.00	52.30	1575	1500	60	3.8	300	5.5	750	2.5
274	ICP444860N-1664	444860	4.40	48.00	60.00	1664	1600	60	3.7	320	5.5	800	2.5
275	ICP444860N-1860	444860	4.50	48.00	60.00	1860	1800	60	3.7	360	5.5	900	2.5
276	ICP445066N-2030	445066	4.40	50.00	66.00	2030	1950	60	3.7	390	5.5	975	2.5
277	ICP4458C0N-3990	4458C0	4.40	58.00	120.00	3990	3800	60	3.7	760	5.5	1900	2.5
278	ICP4478C9N-5250	4478C9	4.40	78.00	129.00	5250	5000	60	3.7	1000	5.5	2500	2.5
279	ICP452248N-440	452248	4.50	22.50	48.00	440	420	100	3.7	84	5.5	210	2.5
280	ICP454261N-1510	454261	4.50	41.80	61.50	1510	1450	60	3.7	290	5.5	725	2.5
281	ICP454261N-1590	454261	4.60	41.80	61.50	1590	1530	60	3.7	306	5.5	765	2.5
282	ICP454262NL-1360	454262	4.55	42.00	62.00	1360	1300	100	3.7	260	5.5	650	2.5
283	ICP454469H-2080	454469	4.50	44.00	69.00	2080	2000	60	3.8	400	5.5	1040	2.5
284	ICP454780NL-2000	454780	4.50	47.80	80.50	2000	1950	80	3.7	390	5.5	975	2.5
285	ICP454795H-3020	454795	4.50	47.00	95.00	3020	2900	60	3.8	580	5.5	1510	2.5
286	ICP454956NL-1020	454956	4.50	49.00	56.00	1020	980	100	3.7	196	5.5	490	2.5
287	ICP455086NL-2250	455086	4.50	50.50	86.00	2250	2180	80	3.7	436	5.5	1090	2.5
288	ICP455368N-2100	455368	4.50	53.00	68.00	2100	2000	60	3.7	400	5.5	1000	2.5
289	ICP455460N-1660	455460	4.50	54.00	59.00	1660	1600	60	3.7	320	5.5	800	2.5
290	ICP4571A7N-4490	4571A7	4.30	71.00	107.00	4490	4300	60	3.7	860	5.5	2150	2.5
291	ICP4572B0NL-4150	4572B0	4.50	72.00	110.00	4150	4000	60	3.7	800	5.5	2000	2.5
292	ICP4573A0N-3000	4573A0	4.50	73.00	100.00	3000	2800	60	3.7	560	5.5	1400	2.5
293	ICP4573A0N-3100	4573A0	4.50	73.00	100.00	3100	3000	60	3.7	600	5.5	1500	2.5
294	ICP4574A8N-4490	4574A8	4.50	74.00	106.00	4490	4300	60	3.7	860	5.5	2150	2.5
295	ICP462430N-260	462430	4.60	24.00	30.00	260	250	200	3.7	50	5.5	125	2.5
296	ICP4640C5H-3255	4640C5	4.60	40.00	125.00	3255	3100	60	3.8	620	5.5	1550	2.5
297	ICP464160N-1560	464160	4.60	41.00	60.00	1560	1500	60	3.7	300	5.5	750	2.5
298	ICP4643C1N-3120	4643C1	4.60	43.00	121.00	3120	3000	60	3.7	624	5.5	1560	2.5
299	ICP464854N-1510	464854	4.60	48.00	54.50	1510	1450	70	3.7	290	5.5	755	2.5
300	ICP464957N-1660	464957	4.60	48.50	57.00	1660	1600	60	3.7	320	5.5	800	2.5
301	ICP465176N-2100	465176	4.60	51.00	76.00	2100	2000	60	3.7	400	5.5	1000	2.5
302	ICP4670C5N-5670	4670C5	4.60	70.00	125.00	5670	5400	60	3.7	1080	5.5	2700	2.5
303	ICP4689B8N-6250	4689B8	4.65	89.50	118.50	6250	6000	60	3.7	1200	5.5	3000	2.5
304	ICP473038N-615	473038	4.70	29.90	38.00	615	590	100	3.7	118	5.5	307.5	2.5
305	ICP474079H-2150	474079	4.70	40.00	79.00	2150	2070	50	3.85	414	5.5	1075	2.5
306	ICP4740D5N-3460	4740D5	4.70	40.00	135.00	3460	3300	60	3.7	660	5.5	1650	2.5
307	ICP474375NL-1790	474375	4.75	43.80	75.50	1790	1730	100	3.7	346	5.5	865	2.5
308	ICP475465H-2550	475465	4.70	54.00	65.00	2550	2450	60	3.8	490	5.5	1275	2.5
309	ICP4756C0N-4200	4756C0	4.70	56.00	120.00	4200	4000	60	3.7	800	5.5	2000	2.5
310	ICP475778H-3120	475778	4.70	57.00	77.50	3120	3000	60	3.8	600	5.5	1500	2.5
311	ICP475865H-2680	475865	4.70	58.00	65.00	2680	2580	60	3.8	516	5.5	1290	2.5
312	ICP475870H-2810	475870	4.70	57.60	69.50	2810	2700	60	3.8	540	5.5	1405	2.5
313	ICP4758C0N-3920	4758C0	4.70	58.00	120.00	3920	3800	50	3.7	760	5.5	1900	2.5
314	ICP476478NL-2760	476478	4.70	64.00	78.00	2760	2660	80	3.7	532	5.5	1330	2.5
315	ICP4840C5N-3200	4840C5	4.80	40.00	125.00	3200	3080	60	3.7	616	5.5	1540	2.5
316	ICP4843C1N-3150	4843C1	4.80	43.00	121.00	3150	3000	60	3.7	600	5.5	1500	2.5
317	ICP485158N-1995	485158	4.80	51.60	58.00	1995	1880	60	3.7	376	5.5	940	2.5
318	ICP485263N-2060	485263	4.70	51.00	62.00	2060	2020	60	3.7	404	5.5	1010	2.5

General polymer battery models list

						Capacity (mAh)				Standard charge		Fast charging	
No.	P/N	Model	Thickness (mm)	Width (mm)	Length (mm)	Typical	Minimum	Internal Impedance (mΩ, Max)	Nominal Voltage (V)	Current (mA)	Time (h)	Current (mA)	Time (h)
319	ICP485559H-2310	485559	4.80	55.00	59.00	2310	2200	60	3.8	440	5.5	1100	2.5
320	ICP485865N-2550	485865	4.86	58.60	65.00	2550	2450	50	3.7	490	5.5	1225	2.5
321	ICP485887N-3380	485887	4.80	58.00	87.00	3380	3250	60	3.7	650	5.5	1690	2.5
322	ICP486789AH-4250	486789A	4.80	67.00	89.00	4250	4100	50	3.8	820	5.5	2050	2.5
323	ICP486789N-3440	486789	4.80	67.00	89.00	3440	3300	50	3.7	660	5.5	1650	2.5
324	ICP486790NL-3470	486790	4.80	67.00	90.00	3470	3350	60	3.7	670	5.5	1675	2.5
325	ICP494678H-2700	494678	4.90	46.00	78.00	2700	2600	60	3.8	520	5.5	1350	2.5
326	ICP494793N-2625	494793	4.90	47.00	93.00	2625	2500	100	3.7	500	5.5	1250	2.5
327	ICP494957N-1780	494957	4.90	48.50	57.00	1780	1700	60	3.7	340	5.5	850	2.5
328	ICP494959H-2000	494959	4.90	49.00	59.00	2000	1950	50	3.8	390	5.5	975	2.5
329	ICP4960C3H-5250	4960C3	4.90	60.00	123.00	5250	5000	60	3.8	1000	5.5	2500	2.5
330	ICP496369NL-2450	496369	4.90	63.00	69.00	2450	2360	80	3.7	472	5.5	1180	2.5
331	ICP496582H-4160	496582	4.90	65.00	82.00	4160	4000	60	3.8	832	5.5	2080	2.5
332	ICP503270N-1350	503270	5.00	32.00	70.00	1350	1300	60	3.7	260	5.5	650	2.5
333	ICP5032C8N-2860	5032C8	5.00	32.00	128.00	2860	2750	60	3.7	550	5.5	1430	2.5
334	ICP504365NL-1630	504365	5.00	43.50	65.00	1630	1570	100	3.7	314	5.5	785	2.5
335	ICP504381NL-2200	504381	5.00	43.50	81.50	2200	2100	80	3.7	420	5.5	1050	2.5
336	ICP504859H-2080	504859	5.00	48.00	59.00	2080	2000	60	3.8	400	5.5	1000	2.5
337	ICP505456N-2100	505456	5.00	54.00	56.00	2100	2030	60	3.7	406	5.5	1015	2.5
338	ICP5054A5N-4160	5054A5	5.00	54.00	105.00	4160	4000	60	3.7	832	5.5	2080	2.5
339	ICP505781N-3120	505781	5.00	57.00	81.00	3120	3000	60	3.7	600	5.5	1500	2.5
340	ICP505869H-2935	505869	5.00	58.00	69.00	2935	2820	50	3.8	587	5.5	1467.5	2.5
341	ICP505885N-3000	505885	5.00	58.00	85.00	3000	2900	60	3.7	580	5.5	1450	2.5
342	ICP5058C0N-4100	5058C0	5.00	58.00	120.00	4100	3800	60	3.7	760	5.5	1900	2.5
343	ICP5058C0N-4300	5058C0	4.70	58.00	120.00	4300	4100	60	3.7	820	5.5	2150	2.5
344	ICP506971N-3015	506971	5.00	69.50	71.00	3015	2900	60	3.7	580	5.5	1507.5	2.5
345	ICP514591H-3120	514591	5.15	44.50	91.00	3120	3000	50	3.8	624	5.5	1560	2.5
346	ICP514689H-3120	514689	5.10	46.00	89.00	3120	3000	45	3.8	624	5.5	1560	2.5
347	ICP514860H-2180	514860	5.10	48.00	60.00	2180	2100	60	3.8	420	5.5	1050	2.5
348	ICP515284N-2600	515284	5.20	52.00	84.00	2600	2500	60	3.7	500	5.5	1300	2.5
349	ICP515298H-3460	515298	5.10	51.80	93.00	3460	3400	60	3.8	680	5.5	1730	2.5
350	ICP515562H-2700	515562	5.10	55.00	62.00	2700	2600	60	3.8	520	5.5	1300	2.5
351	ICP516168H-3150	516168	5.10	61.00	68.00	3150	3000	60	3.8	600	5.5	1500	2.5
352	ICP5162B4N-4780	5162B4	5.10	62.00	114.00	4780	4600	50	3.7	920	5.5	2300	2.5
353	ICP516377H-4000	516377	5.10	62.70	76.60	4000	3915	50	3.8	783	5.5	2000	2.5
354	ICP523258N-1040	523258	5.20	32.00	58.00	1040	1000	80	3.7	208	5.5	520	2.5
355	ICP524380N-2100	524380	5.20	43.00	80.00	2100	2000	60	3.7	400	5.5	1000	2.5
356	ICP524462NL-1720	524462	5.20	44.50	62.50	1720	1650	100	3.7	330	5.5	825	2.5
357	ICP526846N-2080	526846	5.40	68.00	46.00	2080	2000	60	3.7	400	5.5	1040	2.5
358	ICP5270C5N-5620	5270C5	5.20	70.00	125.00	5620	5400	60	3.7	1080	5.5	2700	2.5
359	ICP527489N-4575	527489	5.20	74.00	89.00	4575	4400	40	3.7	880	5.5	2200	2.5
360	ICP528777N-4600	528777	5.20	87.00	77.00	4600	4400	60	3.7	880	5.5	2200	2.5
361	ICP533551NL-1000	533551	5.30	35.00	51.00	1000	985	120	3.7	197	5.5	492.5	2.5
362	ICP535285N-3120	535285	5.30	52.00	85.00	3120	3000	60	3.7	600	5.5	1500	2.5
363	ICP535668H-3120	535668	5.30	56.00	68.00	3120	3000	60	3.8	624	5.5	1560	2.5
364	ICP5362B4N-5250	5362B4	5.35	62.00	114.00	5250	5000	60	3.7	1000	5.5	2500	2.5
365	ICP536370N-3150	536370	5.30	63.00	70.00	3150	3000	60	3.7	600	5.5	1500	2.5
366	ICP536574N-3230	536574	5.35	65.00	74.00	3230	3100	60	3.7	646	5.5	1615	2.5
367	ICP536789N-4300	536789	5.30	67.00	89.00	4300	4100	60	3.7	820	5.5	2150	2.5
368	ICP543540N-830	543540	5.40	35.00	40.00	830	800	80	3.7	160	5.5	400	2.5
369	ICP554396NL-2900	554396	5.50	43.00	96.50	2900	2800	80	3.7	560	5.5	1400	2.5
370	ICP5546B0N-3120	5546B0	5.50	46.00	110.00	3120	3000	60	3.7	624	5.5	1560	2.5
371	ICP555390NL-3350	555390	5.50	53.00	90.00	3350	3200	60	3.7	640	5.5	1600	2.5

General polymer battery models list

						Capacity (mAh)				Standard charge		Fast charging	
No.	P/N	Model	Thickness (mm)	Width (mm)	Length (mm)	Typical	Minimum	Internal Impedance (mΩ, Max)	Nominal Voltage (V)	Current (mA)	Time (h)	Current (mA)	Time (h)
372	ICP5560A9NL-4580	5560A9	5.50	61.00	109.50	4580	4420	60	3.7	884	5.5	2210	2.5
373	ICP556771NL-3050	556771	5.50	67.00	71.00	3050	2940	80	3.7	588	5.5	1470	2.5
374	ICP563450N-1140	563450	5.60	33.50	50.00	1140	1100	60	3.7	220	5.5	550	2.5
375	ICP564874N-2880	564874	5.60	48.00	74.00	2880	2770	60	3.7	576	5.5	1440	2.5
376	ICP5663A8N-5250	5663A8	5.60	63.00	108.00	5250	5200	60	3.7	1040	5.5	2600	2.5
377	ICP572935N-570	572935	5.70	29.00	35.00	570	550	120	3.7	114	5.5	285	2.5
378	ICP5732B0H-2800	5732B0	5.70	32.00	110.00	2800	2700	60	3.8	540	5.5	1350	2.5
379	ICP575166HL-2600	575166	5.75	51.50	66.50	2600	2500	80	3.75	500	5.5	1250	2.5
380	ICP5758B2N-4620	5758B2	5.70	58.00	112.00	4620	4400	60	3.7	880	5.5	2200	2.5
381	ICP582535N-520	582535	5.80	25.00	35.00	520	500	120	3.7	100	5.5	250	2.5
382	ICP583970N-2000	583970	5.80	39.00	70.00	2000	1950	60	3.7	390	5.5	975	2.5
383	ICP584060N-1640	584060	5.80	40.00	60.00	1640	1580	60	3.7	328	5.5	820	2.5
384	ICP584573N-2500	584573	5.80	45.00	73.00	2500	2400	60	3.7	480	5.5	1250	2.5
385	ICP5851D4N-5200	5851D4	5.80	51.00	134.00	5200	5000	60	3.7	1000	5.5	2500	2.5
386	ICP585488H-4160	585488	5.80	54.00	88.00	4160	4000	60	3.8	800	5.5	2080	2.5
387	ICP586096H-5000	586096	5.80	60.00	96.00	5000	4800	60	3.8	960	5.5	2400	2.5
388	ICP5862B4N-5200	5862B4	5.80	62.00	114.00	5200	5000	50	3.7	1000	5.5	2500	2.5
389	ICP5870C5N-6510	5870C5	5.80	70.00	125.00	6510	6200	60	3.7	1240	5.5	3100	2.5
390	ICP594677NL-2700	594677	5.95	46.50	77.80	2700	2600	80	3.7	520	5.5	1300	2.5
391	ICP595162N-2400	595162	5.90	51.00	62.00	2400	2300	60	3.7	460	5.5	1150	2.5
392	ICP596080N-4212	596080	5.90	60.00	80.00	4212	4050	60	3.7	810	5.5	2025	2.5
393	ICP596168NL-2100	596168	5.90	61.00	68.00	2100	2000	80	3.7	400	5.5	1000	2.5
394	ICP603051N-1050	603051	6.00	30.00	51.00	1050	1000	80	3.7	200	5.5	500	2.5
395	ICP603136N-780	603136	6.00	31.00	36.00	780	750	80	3.7	150	5.5	375	2.5
396	ICP603450N-1300	603450	6.00	34.00	50.00	1300	1250	70	3.7	260	5.5	650	2.5
397	ICP603450N-1310	603450	6.00	34.00	50.00	1310	1250	60	3.7	250	5.5	625	2.5
398	ICP604041N-1200	604041	6.00	40.00	41.00	1200	1150	70	3.7	230	5.5	575	2.5
399	ICP604060N-1600	604060	6.00	40.00	60.00	1600	1530	60	3.7	306	5.5	765	2.5
400	ICP604199H-3450	604199	5.95	40.50	99.00	3450	3300	60	3.8	660	5.5	1650	2.5
401	ICP605158N-2100	605158	6.00	51.00	57.50	2100	2000	60	3.7	400	5.5	1000	2.5
402	ICP605466N-2900	605466	6.00	54.00	66.00	2900	2800	50	3.7	560	5.5	1400	2.5
403	ICP605468N-2620	605468	6.00	54.00	68.00	2620	2500	60	3.7	524	5.5	1310	2.5
404	ICP605672N-3360	605672	6.00	56.00	72.00	3360	3200	60	3.7	640	5.5	1600	2.5
405	ICP606168N-2720	606168	6.00	61.00	68.00	2720	2600	70	3.7	520	5.5	1300	2.5
406	ICP606168N-3150	606168	6.00	61.00	68.00	3150	3000	60	3.7	600	5.5	1500	2.5
407	ICP606168NL-2600	606168	6.00	61.50	68.50	2600	2500	80	3.7	500	5.5	1250	2.5
408	ICP606370N-3650	606370	6.00	63.00	70.00	3650	3500	60	3.7	700	5.5	1750	2.5
409	ICP6063A8H-6300	6063A8	6.00	63.00	108.00	6300	6000	60	3.8	1200	5.5	3000	2.5
410	ICP6063A8N-5800	6063A8	6.10	63.00	108.00	5800	5600	60	3.7	1120	5.5	2800	2.5
411	ICP6151A1N-4350	6151A1	6.10	51.30	101.00	4350	4200	50	3.7	840	5.5	2100	2.5
412	ICP615395N-4200	615395	6.10	53.00	95.00	4200	4000	60	3.7	800	5.5	2000	2.5
413	ICP616168NL-3000	616168	6.10	61.50	68.50	3000	2850	60	3.7	570	5.5	1425	2.5
414	ICP616789N-4100	616789	6.10	67.00	89.50	4100	3950	60	3.7	790	5.5	1975	2.5
415	ICP623760NL-1620	623760	6.25	37.50	60.00	1620	1560	100	3.7	312	5.5	780	2.5
416	ICP623845NL-1280	623845	6.30	39.00	46.00	1280	1200	120	3.7	240	5.5	600	2.5
417	ICP623946NL-1240	623946	6.30	39.00	46.00	1240	1200	100	3.7	240	5.5	600	2.5
418	ICP624035N-960	624035	6.25	40.00	35.30	960	920	70	3.7	184	5.5	460	2.5
419	ICP6240A0N-3360	6240A0	6.20	40.00	100.00	3360	3200	60	3.7	640	5.5	1600	2.5
420	ICP6240A0N-3570	6240A0	6.20	40.00	100.00	3570	3400	60	3.7	680	5.5	1700	2.5
421	ICP625170H-3150	625170	6.20	51.00	70.00	3150	3000	60	3.8	600	5.5	1575	2.5
422	ICP625390NL-3760	625390	6.20	53.00	90.00	3760	3650	60	3.7	730	5.5	1825	2.5
423	ICP625466NL-2780	625466	6.20	54.00	66.50	2780	2680	80	3.7	536	5.5	1340	2.5
424	ICP625885N-4150	625885	6.20	58.00	85.00	4150	4000	50	3.7	800	5.5	2000	2.5

General polymer battery models list

No.	P/N	Model	Thickness (mm)	Width (mm)	Length (mm)	Capacity (mAh)		Internal Impedance (mΩ, Max)	Nominal Voltage (V)	Standard charge		Fast charging	
						Typical	Minimum			Current (mA)	Time (h)	Current (mA)	Time (h)
425	ICP626090H-5250	626090	6.20	60.00	90.00	5250	5000	50	3.8	1000	5.5	2500	2.5
426	ICP632990N-2000	632990	6.30	29.00	90.00	2000	1800	60	3.7	360	5.5	900	2.5
427	ICP632990N-2070	632990	6.30	29.00	90.00	2070	2000	60	3.7	414	5.5	1035	2.5
428	ICP6345D4N-4650	6345D4	6.30	45.00	134.00	4650	4550	60	3.7	910	5.5	2275	2.5
429	ICP635176N-3150	635176	6.30	51.00	76.00	3150	3020	60	3.7	604	5.5	1510	2.5
430	ICP635781N-4160	635781	6.30	57.00	81.00	4160	4000	60	3.7	800	5.5	2000	2.5
431	ICP636294H-5460	636294	6.30	62.00	94.00	5460	5250	50	3.8	1050	5.5	2625	2.5
432	ICP6445C5H-5200	6445C5	6.40	45.00	125.00	5200	5000	60	3.8	1000	5.5	2500	2.5
433	ICP644690H-3990	644690	6.40	46.00	90.00	3990	3800	60	3.8	760	5.5	1900	2.5
434	ICP644690N-3150	644690	6.40	46.00	90.00	3150	3000	60	3.7	600	5.5	1500	2.5
435	ICP644697H-4150	644697	6.45	46.00	97.00	4150	4000	60	3.8	800	5.5	2000	2.5
436	ICP653670N-2000	653670	6.50	36.00	70.00	2000	1900	60	3.7	380	5.5	1000	2.5
437	ICP653943N-1450	653943	6.70	39.00	43.00	1450	1400	60	3.7	280	5.5	700	2.5
438	ICP654573N-2920	654573	6.50	45.00	72.50	2920	2800	60	3.7	560	5.5	1400	2.5
439	ICP654870N-2600	654870	6.50	48.00	70.00	2600	2500	100	3.7	500	5.5	1250	2.5
440	ICP655548N-2290	655548	6.50	55.00	48.00	2290	2200	60	3.7	440	5.5	1100	2.5
441	ICP6558B2N-5670	6558B2	6.50	58.00	112.00	5670	5400	60	3.7	1080	5.5	2700	2.5
442	ICP6562D5N-6240	6562D5	6.50	62.00	135.00	6240	6000	60	3.7	1200	5.5	3120	2.5
443	ICP656580N-4835	656580	6.50	64.80	80.00	4835	4650	60	3.7	967	5.5	2417.5	2.5
444	ICP6565B0NL-6300	6565B0	6.50	65.50	110.50	6300	6000	60	3.7	1200	5.5	3000	2.5
445	ICP663766N-2080	663766	6.65	37.00	66.00	2080	2000	60	3.7	400	5.5	1040	2.5
446	ICP665462N-2625	665462	6.60	54.00	62.50	2625	2500	55	3.7	500	5.5	1250	2.5
447	ICP674080H-3120	674080	6.70	39.50	80.00	3120	3000	60	3.8	600	5.5	1560	2.5
448	ICP675358N-2600	675358	6.75	53.00	58.00	2600	2500	60	3.7	500	5.5	1300	2.5
449	ICP675369NL-3050	675369	6.70	53.00	69.00	3050	2950	80	3.7	590	5.5	1475	2.5
450	ICP675395N-4200	675395	6.70	53.00	95.00	4200	4000	60	3.7	800	5.5	2000	2.5
451	ICP675468N-3150	675468	6.70	54.00	68.00	3150	3000	60	3.7	630	5.5	1575	2.5
452	ICP675488N-4515	675488	6.70	54.00	88.00	4515	4300	60	3.7	860	5.5	2150	2.5
453	ICP681469NL-610	681469	6.85	14.00	69.50	610	600	350	3.7	120	5.5	300	2.5
454	ICP685164N-3120	685164	6.80	51.00	64.00	3120	3000	60	3.7	600	5.5	1560	2.5
455	ICP685684N-4700	685684	7.00	56.00	84.00	4700	4500	50	3.7	900	5.5	2250	2.5
456	ICP686395N-5200	686395	6.80	63.00	95.00	5200	5000	50	3.7	1000	5.5	2500	2.5
457	ICP702427HL-450	702427	7.15	24.50	27.00	450	430	350	3.75	215	2.5	215	2.5
458	ICP703460N-1680	703460	7.00	24.00	60.00	1680	1600	60	3.7	320	5.5	800	2.5
459	ICP7045D0N-4680	7045D0	6.80	45.00	125.00	4680	4500	50	3.7	936	5.5	2340	2.5
460	ICP7045D0N-4725	7045D0	7.00	45.00	130.00	4725	4500	50	3.7	900	5.5	2250	2.5
461	ICP705171H-3535	705171	7.10	51.00	71.00	3535	3400	45	3.8	680	5.5	1700	2.5
462	ICP705462N-2800	705462	7.00	54.00	62.50	2800	2700	60	3.7	540	5.5	1350	2.5
463	ICP705462N-3280	705462	7.00	54.00	62.00	3280	3150	60	3.7	656	5.5	1640	2.5
464	ICP7054A5N-5000	7054A5	7.00	54.00	105.00	5000	4800	60	3.7	960	5.5	2400	2.5
465	ICP7060A3N-6240	7060A3	7.00	60.00	103.00	6240	6000	60	3.7	1200	5.5	3120	2.5
466	ICP7060C5N-7280	7060C5	7.00	60.00	125.00	7280	7000	60	3.7	1456	5.5	3640	2.5
467	ICP7061D1NL-5300	7061D1	7.00	61.50	131.50	5300	5000	60	3.7	1000	5.5	2500	2.5
468	ICP706290N-5510	706290	7.00	62.00	90.00	5510	5300	60	3.7	1102	5.5	2755	2.5
469	ICP706370N-4200	706370	7.00	63.00	70.00	4200	4000	60	3.7	800	5.5	2000	2.5
470	ICP724672N-3120	724672	7.20	46.00	72.00	3120	3000	60	3.7	624	5.5	1560	2.5
471	ICP725075NL-3680	725075	7.20	50.50	75.50	3680	3500	60	3.7	700	5.5	1750	2.5
472	ICP7250B4N-5720	7250B4	7.20	50.00	114.00	5720	5500	60	3.7	1100	5.5	2860	2.5
473	ICP725290N-4200	725290	7.20	52.00	90.00	4200	4000	60	3.7	800	5.5	2000	2.5